TROPICAL DISEASES BULLETIN

ISSUED UNDER THE DIRECTION OF THE HONORARY MANAGING COMMITTEE OF THE TROPICAL DISEASES BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

VOL. 4.

JUNE 30, 1914—DECEMBER 15, 1914.

COMMONWEALTH MYCOLOGICAL INSTITUTE
26 MAY 1971

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C.

1914.

HONORARY MANAGING COMMITTEE.

Chairman:

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.

(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).

Sir John Rose Bradford, K.C.M.G., F.R.S.
(representing the Royal Society).

Surgeon-General Sir David Bruce, C.B., F.R.S.

Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.

Colonel Sir William B. Leishman, R.A.M.C., F.R.S., K.H.P.

Sir John M'Fadyean, M.R.C.V.S.

Sir Patrick Manson, G.C.M.G., F.R.S.

Sir Ronald Ross, K.C.B., F.R.S.

Sir S. Stockman, M.R.C.V.S.

Mr. J. A. C. Tilley.
(representing the Foreign Office and Sudan Government).

Mr. H. J. Read, C.B., C.M.G.
(representing the Colonial Office),
with
Mr. A. Berriedale Keith, D.C.L., D.Litt.,
of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director:

A. G. Bagshawe, M.B., B.C., D.P.H. Cantab.,
of the Uganda Medical Staff.

Assistant Director:

G. C. Low, M.A., M.D., *Lecturer, London School of Tropical Medicine.*

Librarian:

R. L. Sheppard.

Sectional Editors:

Philip H. Bahr, M.D., M.R.C.P., D.T.M. & H. Cantab.

Andrew Balfour, C.M.G., M.D., D.P.H. Cantab.

Fleet-Surgeon P. W. Bassett-Smith, R.N., C.B., M.R.C.P.

R. T. St. John Brooks, M.D., D.T.M. & H.

Major S. Lyle Cummins, R.A.M.C., M.B., B.Ch.

Captain S. R. Douglas, I.M.S. (retd.).

H. B. Fantham, B.A., D.Sc.

Edward Hindle, Ph.D.

Colonel W. G. King, C.I.E., I.M.S. (retd.).

R. T. Leiper, D.Sc., M.B., Ch.B.

J. B. Nias, M.D., M.R.C.P.

W. J. Penfold, M.D., D.P.H.

F. M. Sandwith, M.D., F.R.C.P.

J. Henderson Smith, M.B., Ch.B.

C. M. Wenyon, M.B., B.S., B.Sc.

Warrington Yorke, M.D.

Editor of the Tropical Veterinary Bulletin:

A. Leslie Sheather, B.Sc., M.R.C.V.S.

Digitized by the Internet Archive
in 2025

https://archive.org/details/tropical-diseases-bulletin_june-december-1914_4

CONTENTS.

SECTIONS.

	PAGES.
Amoebiasis (Amoebic Dysentery, and Liver Abscess)	297–311
Beriberi	143–50
Blackwater Fever	96, 294–5
Book Reviews	52–60, 112–6, 166–8, 233–6, 296, 359–60, 477–8
Cholera	324–37
Dysentery (Bacillary, Flagellate, etc., and Unclassed)	312–23
Filariasis	124-34
Heat Stroke	135–42
Helminthiasis	97–111, 517–28
Hygiene, Applied, in the Tropics	169–236, 413–76
Kala Azar	392–404
Leprosy	507–16
Malaria	78–95, 286–93, 361–80
Miscellaneous	159–66, 357–8, 405–12, 529–42
Pappataci Fever, Dengue, and Unclassed Fevers	45–9, 479–85
Pellagra	274–85
Plague	13–29
Protozoology	381–91
Rat Bite Disease	162–3
Relapsing Fever and Spirochaetosis	237-52
Reports, Annual, etc.	169–79, 406, 407, 409–10, 411, 413 *et sqq.*
Skin Diseases, Tropical	30–44
Sleeping Sickness	61–77, 253–73, 338–56, 500–6
Sprue	8–12
Tuberculosis in Native Races	117–23
Typhus Fever	488–91
Undulant Fever	1–7
Verruga Peruviana and Oroya Fever	50–1, 486–7
Yaws	492–9
Yellow Fever	151–8

Index of Authors	543–50
Index of Subjects	551–89
Quarterly Lists of References	Appendix, pp. i–xxx, xxxi–lix

(C113) Wt. P 10/46. 2000. 2.15. Gp.11/4.

ILLUSTRATIONS IN THE TEXT.

Boring Implements for Well-boring 471, 472
Diagrams on Heat Stroke and Humidity 138
Foot Pads of *M. rattus diardii* and *M. rattus griseiventer* 28
Quick Staining Romanowsky Method for Dried Smears, Apparatus for 405
Section of Trap for Catching Tsetse Flies 74

MAPS.

Bengal Presidency (Fry's No. 2 Map and Chart No. 7, modified) to show chief Hyperendemic Areas in relation to Rivers 189
Distribution of Undulant Fever in the Indian Army from 1900 to 1911 2
Jessore District, shewing relation of Spleen-rates to Dead and Living Waters 188

PLATES.

Aerobic Filter, Alternative modes of using (E) .. *following* p. 460
Aerobic Filter, Section and Plan (C) .. .. *following* p. 460
Filter Pit (F) .. .. *following* p. 460
Filter Trench, Section and Plan (D) .. .. *following* p. 460
Filter Trench Latrine (G. & H.) .. .. .. *following* p. 460
Small Household [Sewage] Filter, where Soil is unsuitable for Filter Pit (A. & B.) .. .. *following* p. 460

ERRATA.

See pages 95, 296, 360, 380, 478.

INDEX OF AUTHORS.

A.

Abelardo Lara, N., 367.
Agramonte, A., 153, 360.
Allard, 256.
Alliot, 372.
Allison, W. L., 281.
America, 453.
Anderson, D. E., 42, 50.
De Angelis, G. *See* Tizzoni & De Angelis.
Annales d'Hygiène et de Médecine Coloniales, 371, 494.
Aragão, H. de B. 309
—— & Vianna, G., 160.
Arce, J. *See* Ribeyro, Mackehenie & Arce.
Archibald, R. G., 301.
Archiv für Schiffs und Tropen-Hygiene, 107.
Archivos Brasileiros de Medicina, 521.
Ardin-Delteil, Raynaud M., Coudray & Derrieu, 238, 318.
Argaud, R., & Brault, J., 39.
Arlo, J. *See* Leger & Arlo.
Arnould, 19.
Asseo. *See* Kiamil Bey & Asseo.
Assmy, 318.

B.

Babes, V., 325.
Baermann, G., 93.
—— & Eckersdorff, O., 59.
Baetjer, W. A., & Sellards, A. W., 310.
Bahamas, 420.
Bahr, P. H., 8, 125, 133, 362.
Baker, C. J. *See* Uganda Protectorate.
Balfour, A., 99, 154, 249.
Balteano, J., & Lupu, M., 331.
Barber, M. A., 313, 327.
Barbézieux, G., 507.
Bardin, J., 285.
Barlow, N., 40, 161, 302, 370.
des Barres. *See* Le Roy des Barres.
Basile, C., 392.
Bass, C. C., 83.
——, M. H., 86.
Bassett-Smith, P. W., 4, 7, 50.
Battaglia, M., 266.
Bauche, J. *See* Bernard & Bauche.
Bayma. T., 356, 498.
de Beaufort, L. F., 27.
Béguet. *See* Sergent, Foley, Gillot, & Béguet.
——, M. *See* Sergent & Béguet.
Behrens, C. A., 355.
Belvadi, 467.
Benedict, L. S. *See* Butterfield & Benedict.
Benjamins, C. E., 42.
Bernard, P. N., 38, 532.
—— & Bauche, J., 110.
Béros & Bocquillon, 19.
Billet A., & Grenier, M., 239.
Binnie, A. R., 187, 469.
Birt, C., 47.
Blacklock, B. *See* Yorke & Blacklock.
Blair, C., 172, 215.
Blanchard, M., 36.
——, R., Leroux, C., & Labbé, R., 100.
Blin, G., 101.
Blühdorn, K., 312.
Bocquillon. *See* Béros & Bocquillon.
Boletim Official do Governo de Provincia de S. Tomé e Principe, 353.
Bonnefay & Maille, 304.
Bontemps. *See* Grumann & Bontemps.
Booth, B. H., 83.
Boppe & Orticoni, 142.
Borini, A., 104.
Bosco, P., 91.
Botelho, jun., C. *See* Carini & Botelho.
Bovaird, D., & Cecil, R. L., 519.
Boycott, 204.
Braddock, C. S., 89.
Braddon, W. L., 145.
—— & Cooper, E. A., 146.
Brau, P., 304, 370.
Brault, J., 35, 510.
—— & Montpellier, J., 240, 243.
——. *See* Argaud & Brault.
Breinl, A., 407.
Breitenstein, H., 492.
van Brero, P. C. J., 112.
British Guiana, 423.
Britto, A., 372.
Broughton-Alcock, W., 312.
Brown, H. C. *See* Paterson & Brown.
——, H. E. *See* Swift & Brown.
——, W. H., 271.
Browning-Smith, S., 13, 25, 231.

Bruce, D., Hamerton, A. E., Watson, D. P., & Lady Bruce, 61, 63, 64, 268, 338, 339, 340, 341, 344, 345, 346, 348, 350.
Bruyant, L. *See* Calmette & Bruyant.
Butterfield, E. E., & Benedict, L. S., 89.
Byam, W. *See* Chalmers & Byam.
Byrd, H., 288.

C.

Cadbury, W. W., 518.
—— & Hofmann, J. A., 328.
Cadet. *See* Lafont & Cadet.
Calmette, A., & Bruyant, L., 58.
Campbell, A. E. *See* Innes & Campbell.
——, C., 365.
Cannata, T., & Caronia, G., 397.
Cantani, A., 3, 6.
Cantlie, J., 541.
Cardamatis, J. P., 330, 365.
Carini, A., 103.
——, & Botelho, jun., C., 272.
Carneiro, M. G., 4.
Carneux, 445.
Caronia, G. *See* Cannata & Caronia.
Carter, H. R., 83, 424.
Casaux, J., 100, 241.
Castellani, A., 33, 409, 483, 533.
—— & Philip, M., 18.
Castelli, A., 326.
Cecil, R. L. *See* Bovaird & Cecil.
Celli, A., 364, 365.
Cesa-Bianchi, D., 283.
Ceylon, 419, 452.
Chalmers, A. J., & Byam, W., 41.
—— & Christopherson, J. B., 40.
—— & O'Farrell, W. R., 30, 500.
—— & Stirling, A. D., 30.
Chamberlain, W. P., 218, 529.
Chandra Sekhar, P. S., 117.
Charles, H., 216.
Chartres, E. A., 430.
Chastang, L., 99, 161, 518.
Chazarain-Wetzel, 36.
Chevallier, 211.
Chimisso, L., 88.
China Medical Journal, 518.
Christie, W. L., 298.
——, W. F., 525.
Christopherson, J. B. *See* Chalmers & Christopherson.
Cicconardi, G., 333.
Ciuca, A. *See* Weinberg & Ciuca.
Clarac, 536.
Clarenc, H., 93.
Clark, H. C., 495.
——, W. S., 45.
Clarke, J. T., 374.
Cleveland, R. A. *See* Cyprus.
Cohen, S. S., 373.
Coles, A. C., 382.
Collett, J. W., 214.
Collin, L., 19, 20, 494.
Combiesco, D. *See* Jonesco-Michaïesti & Combiesco.
Conchoud, P. L., & Shionoya, F., 539.
Connal, A. *See* Seidelin & Connal.
Conor, A., 98.
——, M. *See* Nicolle & Conor.
Conran, P. C., 445.
Cooper, E. A., 150.
——. *See* Braddon & Cooper.
Corin, G., 531.
——. *See* Dubois & Corin.
Corleis, 39.
Coskinas, G. S., 237.
Couchoud, P. L., 539.
Coudray. *See* Ardin-Delteil, Raynaud, Coudray & Derrieu.
Courmont, J., Lesieur, C., Dufour & Marchand, 336.
Couvy, 509.
Craig, C. F., 306, 307.
Craster, C. F., 336.
Crawley, H., 389.
Creel, R. H., 203.
Cremonese, G., 328.
Culpepper, W. L., 33.
Culver, D. See Montgomery & Culver.
Cyprus, 418.

D.

Dagorn, 483.
Dalal, A. K., 162.
Danysz, J., 503.
Darling, S. T., 78, 199, 242.
Darré, H. *See* Martin, Darré & Dumas.
Davey, J. B. *See* Newstead & Davey.
David, 295.
Day, H. B. & Ferguson, A. R., 524.
Deaderick, W. H., 83, 373.
Dearman, W. A., 284.
Deeks, W. E., 301, 318, 481.
Degorce, A., 304, 492.
Delanoë, P., 133.
Demidoff, A. P. *See* Yakimoff, Schokhor, Koselkine, Winogradoff & Demidoff.
Derrieu & Raynaud, M., 316.
——. *See* Ardin-Delteil, Raynaud, Coudray & Derrieu.
Descaux. *See* Pautrier, Descaux & Rabreau.
Diaz, E., 540.
Dinsmore, W. W., & Moss, P. B., 524.
Divaris, S., 395.
Doane, R. W., 163.
Doeri, A. *See* Hatiegan & Doeri.

Doucet, 19.
Douglas M. *See* Funk & Douglas.
van Driel, B. M., 289.
Dubalen, 328.
Dubois, A. *See* Van den Branden & Dubois.
—— & Corin, G., 144.
Ducceschi, V., 389.
Duckworth, D., 305.
Dufour. *See* Courmont, Lesieur, Dufour & Marchand.
Dumas, R., 300.
——, J. *See* Martin, Darré & Dumas.
Dunbar-Brunton, J., 101.
Dupont, V. *See* Lafont & Dupont.
Dutcher, B. H., 129.
Dyer, J., 277, 281.

E.

East Africa Protectorate, 175.
Echeverria, E., 164.
Eckard, B. *See* Kleine, Fischer & Eckard.
Eckersdorff, O. *See* Baermann & Eckersdorff.
Eckert, 325.
Egypt and the Sudan, 452, 455.
Elebash, C. C., 281.
Emin, A., 88.
Erdmann, R., 391.
Evans, J. E., 278.
von Ezdorf, R. H., 82, 83, 363.

F.

Fajardo, D. H., 151.
Fantham, H. B. & Porter, A., 52, 166.
Fargier, 18.
De Faria, G., 104.
Fenton, E. G., 144.
Ferguson, A. R. *See* Day & Ferguson.
——, J. E. A., 525.
Fink, L. G., 447.
Fisch, R., 90.
Fischer, W. *See* Kleine, Fischer & Eckard.
Flandin, C., 301.
Fletcher, W., 292.
Foley, H. *See* Sergent & Foley.
——. *See* Sergent, Foley, Gillot, & Béguet.
——. *See* Sergent, Foley & Vialatte.
——, & Vialatte, C., 244.
Foster, W. D., 526.
Fourcade. *See* Roussel & Fourcade.
Fox, C. J., 118.
Fracker, S. B., 527.
Franchini, G. *See* Laveran & Franchini.
Francis, E. *See* Lavinder & Francis.
Frassetto, A., 91.
Frazer, T., 279.
de Freitas Crissiuma, E., 495.
Fretz, M. H. *See* St. Kitts, Nevis & Anguilla.
Fricks, L. D., 406.
Froés, J. A. G., 358.
Fry, A. B., 181.
Fuchs-Wolfring, S., 87.
Fügner, I., 335.
Fülleborn, F., 126, 127, 532.
Funk, C., 147, 276.
—— & Douglas M., 146.

G.

Gait, 474.
Gambia, 455.
Garrison, P. E. *See* Siler, Garrison & MacNeal.
Gatto, A., 3.
Gelhaar, F. *See* Mühlens & Gelhaar.
Gibson, R. B., 148, 149.
Giemsa, G., 405.
—— & Werner, H., 291.
Gill, C. R., 102.
Gillot, V. *See* Sergent, Foley, Gillot & Béguet.
Gimlette, J. R., 212.
di Giovine, 365.
Girling, E. C., 497.
Giugni, F., 396, 400.
——. *See* Spagnolio & Giugni.
—— & La Cava, F., 399.
Goldberger, J., 276, 334, 443.
Gougerot & Voillemot, 39.
Gouzien, 48.
Gozony, L., 358.
Graham, L. W., & Hutchison, R. H., 75.
Graham-Smith, G. S., 359.
Greig, E. D. W., 446.
Grenier, M., 248.
——. *See* Billet & Grenier.
Grienwank, E., 96.
Grober, 141.
Grothusen, 132, 496, 535.
Grubbs, S. B., 20.
Grumann & Bontemps, 289.
Guerrini, G., 109.
Guiteras, J., 152.

H.

Hall, M. C., 520, 528.
Hamerton, A. E. *See* Bruce, Hamerton, Watson, & Lady Bruce.
Harper, F. S., 252.
——, P., 497.
Harring, E. R., 277.

Harris, S., 279.
Harriss, S. A., 447.
Hatiegan, J., & Doeri, A., 280.
Hearsey, H. *See* Nyasaland Protectorate.
Hehir, P., 412.
Heinemann, H., 119.
Heiser, V. G., 209, 434, 438.
Henry. *See* Railliet & Henry.
Henson, G. E., 86, 369.
Hercelles, O., 486.
Heymann, P., 38, 303.
——. *See* Mathis & Heymann.
Hodges, A. D. P. *See* Uganda Protectorate.
Hodgson, T. R. *See* Purvis & Hodgson.
Hoepke, H. *See* Landois & Hoepke.
Hofmann, J. A. *See* Cadbury & Hofmann.
Holmes, M. J. *See* Howson, Holmes & Maplestone.
Honduras, 455.
Honeij, J. A., & Parker, R. R., 509.
Hooton, A., 98.
Horne, 201.
Hornsey, J. F., 35.
Hornus, P., 322.
Hort, E. C., & Ingram, W. W., 489.
Hostalrich, 301.
Howson, F., Holmes, M. J., & Maplestone, P. A., 529.
Hudelet, G., 124.
Hutchison, R. H. *See* Graham & Hutchison.
Hybram, 425.
Hyde, F. C., 363.

I.

Ilvento, A., & Mazzitelli, M., 21.
Ingram, A., 501.
——, W. W. *See* Hort & Ingram.
Innes, J. A., & Campbell, A. E., 527.
Irvine, H. G., & Larson, W. P., 513.
Iuspa, V., 398.
Izar, G., 298.

J.

Jablons, B., 490.
Jack, R. W., 506.
James, S. P., 201, 309.
Jamot, E. *See* Motais, Jamot & Robert.
Jeanselme, M. E., 402.
Jervey, J. W., 523.
Job, M. E., 311.
——, E., & Salvat, J., 239, 491.
Johns, F. M., 31.
—— & Querens, P. L., 128.
Johnston, J. E. L., 127.
——. *See* Macfie & Johnston.
Jonesco-Michaïesti, C., & Combiesco, D., 314.
Joyeux, C., 32.
Judkins, O. H., 517.
Justi, K., 10.

K.

Kato, S., 23.
Kedrowski, W., 514.
Kennedy, A. F., 464.
Kerandel, 311.
Kéraval, 507.
Kernéis, 410.
Kiamil Bey & Asseo, R. *See* Simond & Pasteur Vallery-Radot.
King, H. H., 46.
——, W. G., 437.
Kitchener, H. H., 452.
Kleine, F. K., Fischer, W., & Eckard, B., 67.
Klemm, 243.
Koselkine, P. M. *See* Yakimoff, Schokhor, Koselkine, Winogradoff & Demidoff.
Krulish, E., 121.
Kuenen, W. A., 298.
Kuhn, P., 256.
Külz, L., 129.
Kunhardt, J. C. G., 15.

L.

Labbé, R. *See* Blanchard, Leroux & Labbé.
La Cava. *See* Giugni & La Cava.
Lafforgue, 238.
Lafont & Cadet, 151.
——, A., & Dupont, V., 257.
Lagriffe & Loup, 163.
Lalor, N. P. O'G., 286, 295.
—— & Stewart, D. D., 157.
Lambart, H. C., 296.
Landois, F., & Hoepke, H., 532.
Lane, T., 431, 447.
Lapa, A., 403.
Lara, N. *See* Abelardo Lara, N.
Larson, W. P. *See* Irvine & Larson,
Launoy, L., & Lévy Bruhl, M., 250.
Laveran, A., 387, 401.
—— & Franchini, G., 381.
—— & Roudsky D., 258, 271.
Lavinder, C. H., & Francis, E., 481.
Lawson, M. R. *See* Rowley-Lawson.
Leber, A., & v. Prowazek, S., 132.
Leboeuf, A., 19, 511.
Le Dantec, A., 36.
Legendre, J., 361.
Léger, 120, 125.
——, A., 83.
—— & M., 379, 384, 385, 386, 387 388.
——, M., 387, 482.
——, & Arlo, J., 287.
——. *See* Leger, A. & M.

Lehmann, 479.
Leishman, W. B., 248.
Lemaire, G. *See* Sergent, Edm. & Et., Lemaire & Senevet.
Leon, N., 534.
Le Pape, 302.
Leroux, C. *See* Blanchard, Leroux & Labbé.
Le Roy des Barres, A., 498, 536.
Lesieur, C. *See* Courmont, Lesieur, Dufour & Marchand.
Lesk, R., 236.
Lê-Van-Chingh, 526.
Levy, R. L., 103.
Lévy-Bruhl, M. *See* Launoy & Levy-Bruhl.
Libieratos, S. G., 322.
Lima, A. R. V., 106.
Lim Boon Keng, 299.
Lindsay, J. W., 402.
Linnell, R. Mc C., 407.
Linsker, J., 322.
Liston, W. G., 24.
Loiselet, 41, 120, 542.
Loïs Naz, J., 227.
Looss, A., 101.
Lorcin, 302.
Lorenz, W. F., 443.
Loughnan, W. F. M. *See* Smith & Loughnan.
Loup. *See* Lagriffe & Loup.
Low, G. C., 11, 154.
——, R. B., 13, 152.
Lugard, F. D., 224.
Luna, F., 397.
Lupu, M. *See* Balteano & Lupu.
Lurz, R., 70.
Luzzati, A., 49.

M

McCoy, G. W., 177.
Macfarlane, H., 428.
Macfie, J. W. S., 164.
——, & Johnston, J. E. L., 155, 250.
Macgregor. R. F., 104.
McHattie, A. C. N. *See* Bahamas.
Macht, D. I., 106.
Mackehenie, D. *See* Ribeyro, Mackehenie & Arce.
Mackie, F. P., 379.
MacNeal, W. J. *See* Siler, Garrison & MacNeal.
Madras, 169, 206.
Madras Government Order, 227.
Maille. *See* Bonnefay & Maille.
Malisch, 89.
Manning, F. *See* Nigeria Northern.
Manoiloff, E., 527.
Maplestone, P. A. *See* Howson, Holmes & Maplestone.
Mansion, J., 479.
——, G., 480.
Manson, P., 59.
Mantegazza, U., 400.
Manteufel, 380.
Marchand. *See* Courmont, Lesieur, Dufour & Marchand.
Markl, 26.
Marques Da Cunha, A., & Torres, M., 316.
Marrable, H. T., 122.
Marshall, 431.
Martelli, P. N., 49.
Martin, L., Darré, H., & Dumas, J., 255.
Martinez, I. G., 130.
Martini, E., 274, 293, 322.
Masterman, E. W. G., 410.
Matadin Sukul, 470.
Mathis, 125.
——, C., 87, 105, 273, 311, 315.
——, & Heymann, P., 361.
da Matta, A. A.. 495.
Maung Shwe Gê, 435.
Mayer, M., 250.
——, & Da Rocha Lima, H., 267.
Maynard, G. D., 411.
Mazzitelli, M. *See* Ilvento & Mazzitelli.
Mesnil, F., & Ringenbach, J., 263.
——, & Roubaud, E., 71.
van Meter, B. F., 524.
Middleton, E. M., 144.
Mihaïesti, C. J. *See* Slatineano & Mihaïesti.
Millard, Killick C., 441.
Milne, A. D. *See* East Africa Protectorate.
——, D. K., 488.
Mine, N., 383.
Mitchell, D. A., 47.
Mitzmain, B., 465.
Moldovan, J., 388.
Montgomery, D.,& Culver, G. D., 32.
Montpellier, J. *See* Brault & Montpellier.
Montserrat, 496.
Moss, M. I., 109.
——, P. B. *See* Dinsmore & Moss.
Motais, F., Jamot, E., & Robert, M. J. F., 536.
Mouchet, R., 531.
Mühlens, P., 94, 534.
——, & Gelhaar, F.. 292.
Muirhead, W. A., 477.

N.

Nair, T. K. G., 526.
Nakagawa, K., 97.
de Napoli, F., 44.
Nasta, M., 334.
Nègre, L. *See* Sergent & Nègre.
Neish, W. D., 445, 449.
Neligan, A. R., 106.
Netter, 513.

Newstead, R., 480.
——, & Davey, J. B., 75.
Nicolle, C., 394.
——, & Conor, M., 398.
Nigeria, 105.
——, Northern, 172, 227.
Nitzesco, 283.
Nixon, J. H., 537.
——, P. I. 303.
Nöller, W., 269.
Noronha, A. J., 306.
Nuttall, G. H. F., 407.
Nyasaland Protectorate, 351, 417, 444.

O.

Odriozola, E., 487.
Oehler, R., 260.
O'Farrell, W. R. *See* Chalmers & O'Farrell.
Ogawa, 264.
Orenstein, A. J., 380.
d'Ormay, L., 480.
Orta, F., 84.
Orticoni. *See* Boppe & Orticoni.
Otten, L. *See* Swellengrebel & Otten.
Owen, G. E., 505.

P.

Parker, R. R. *See* Honeij & Parker.
Parrot, L., 106, 365, 377.
Pasteur Vallery-Radot. *See* Vallery-Radot.
Patanè, C., 398.
Paterson, T. F., & Brown, H. C., 1.
Patterson, J., 132.
——, S. W., 217.
Patton, W. S., 393, 465.
Pautrier, Descaux & Rabreau, 512.
Pavoni, G., 401.
Pearson, K., 504.
Peiper, O., 45, 92, 122, 538.
Pembrey, M. S., 135.
Perez, G. V., 278.
Perry, A. *See* Ceylon.
Philibert, A., 516.
Philip, M., 432.
——. *See* Castellani & Philip.
Phisalix, M., 388.
Pinoy, E., 34.
Plehn, A., 294.
Plotz, H., 488.
Pons, J. A., 98.
Pope, C., 94.
Popoff-Tscherkasky, D., 335.
Porter, A. *See* Fantham & Porter.
Price, B., 216.
Pridham, 446.
Priestley, H., 31.
Primet, 242.
Prince, J., 449.
Principe, 73, 352.
Pringault, E., 270, 398.
Procter, A. H. *See* Stewart & Procter.
v. Prowazek, S., & Werner, H., 314.
——. *See* Leber & v. Prowazek.
Purvis, J. E., & Hodgson, T. R., 477.

Q.

Quantz, 69.
Querens, P. L. *See* Johns & Querens.

R.

de Raadt, O. L. E., 25, 27.
Rabello, E. *See* Terra & Rabello.
Rabreau. *See* Pautrier, Descaux & Rabreau.
Rachmanow, A., 107.
Railliet & Henry, 134.
Rainsford, F. E., 282.
Ranken, H. S., 499.
Ransom, B. H., 520.
Rayer, P., 277.
Raynaud, M. *See* Ardin-Delteil, Raynaud, Coudray & Derrieu.
——. *See* Derrieu & Raynaud.
Rebagliati, R., 404.
Reed, A. C., 522, 523.
Regnault, F., 367.
Rho, F., 103, 395.
Rhodesia, Northern, 351.
Ribeyro, R. E., Mackehenie, D., & Arce, J., 486.
Ringenbach, 354, 438.
——, J. *See* Mesnil & Ringenbach.
Ritz, H., 260, 265.
Robert, M. J. F. *See* Motais, Jamot & Robert.
da Rocha-Lima H. *See* Mayer & da Rocha-Lima.
Rodenwaldt, 87, 440, 535.
Roemmele, A., & Sweet, R., 357.
Ross, D. M. 282.
——, H., 29.
——, R., 92, 366, 375.
——, W. C., 24.
Rossi, A., 99.
——, G., 365.
Rost, E., 200.
Roubaud, E., 46.
——. *See* Mesnil & Roubaud.
Roudsky, D. *See* Laveran & Roudsky.
Roussel, L., & Fourcade, 124.
Row, R., 21.
Rowley-Lawson, M., 85, 293.
Royster, H. A., 131.
Russell, R. F., 372.
Russo, C., 258, 259.

S.

St. Kitts, Nevis & Anguilla, 422.
Saitta, S., 84.
Salvat, J. *See* Job & Salvat.
Sambon, L., 274.
Savage, W. G., 235.
Savas, C., 329.
Scherschmidt, 494.
Schild, R., 312.
Schilling, C., 52.
——, & Schreck, H., 261.
Schilling-Torgau, V., 357.
Schleich, R., 256.
Schmitter, F., 12, 408.
Schnyder, K., 149.
Schöbl, O., 23.
Schokhor, N. J. *See* Yakimoff, Schokhor, Koselkine, Winogradoff & Demidoff.
——. *See* Yakimoff & Schokhor.
Schottmüller, H., 162.
Schreck, H. *See* Schilling & Schreck.
Schuberg, A., 200.
Schüffner, W., & Swellengrebel, N. H., 87, 166.
Schwyzer, F., 94.
Segale, M., 141.
Séguin, P. *See* Weinberg & Séguin.
Seidelin, H., 360, 505.
——, & Connal, A., 95. 360.
Sellards, A. W., 329.
——. *See* Baetjer & Sellards.
Senevet, G. *See* Sergent, Edm. & Et, Lemaire & Senevet.
Sergent, Edm. 84.
——, & Béguet, M., 378.
——, & Et, Lemaire, G., & Senevet, G., 399.
——, & Foley, H., 244, 245, 247, 287.
——, Foley, H., Gillot, V., & Béguet, 247.
——, Foley, H., & Vialatte, C., 490.
——, & Nègre, L., 312, 327.
Sergi, A., 84.
Seyffert, 322.
Shibayama, S., 143.
Shionoya, F. *See* Couchoud & Shionoya.
Shoulders, H. H., 83.
Siebert, H., 300.
Siler, J. F., Garrison, P. E., & MacNeal, W. J., 274, 276.
da Silva, P., 403.
Simond, P. L., & Pasteur Vallery-Radot, 324.
Simonin, J., 305.
Simpson, J. J., 165.
——, R. J. S., 136.
——, W. J., 436.
Sitsen, A. E., 118, 412.
Skelton, D. S. *See* Zanzibar Protectorate.
Slatineano, A., & Mihaïesti, C. J., 331.
Smith, E. C. M., 214.
——, L. F., & Loughnan, W. F. M., 482.
South African Anti-Malaria Association, 368.
Southern Medical Journal, 368.
Southon, C. E., 205.
Spagnolio, G., 45.
——, & Giugni, F., 395.
Spurgin, W. H., 282.
Ssimintzin, D., 97.
Stanley, A., 226.
Stannus, H. S., 43, 444, 445.
Stargardt, 253.
Statham, J. C. B., 484.
Stevenson, W. D. H., 22.
Stewart, C. E., 280.
——, D. D. *See* Lalor & Stewart.
——, G., & Procter, A. H., 180.
——, J. D., 429.
Stiles, C. W., 362, 464.
Stirling, A. D. *See* Chalmers & Stirling.
Strickland, C., 29.
Stuart, E. G., 100.
Sweet, R. *See* Roemmele & Sweet.
Swellengrebel, N. H., 25.
——, & Otten, L., 26.
——. *See* Schüffner & Swellengrebel.
Swift, E. W. D., & Brown, H. E., 277.
Sylvester, R. E., 281.

T.

Taylor, F. H , & Young, W. J., 529.
——, J., 16,
——, J. A., 251.
Terra, F., 403.
——, & Rabello, E., 160.
Terry, B. T., 76.
——, C., 463.
Thomson, D., 85.
Thompson, G. S., 519.
Timpano, P., 47.
Tizzoni, G., & de Angelis, G., 284.
Todd, J. L., 72, 536.
Torres, M. *See* Marques Da Cunha & Torres.
Townsend, C. H. T , 51, 487.
Tresidder, A. G., 92, 289.
Trinidad & Tobago, 421.
Tschudnowsky, 530.
Tuck, G. L. *See* Wu Lien-Teh.
Turberville, J. S., 523.
Turkhud, D. A., 14.
Turner, J. A., 233.

U.

Uganda Protectorate, 413, 455.
United States Public Health Bulletin, 427.
—— Health Reports, 130, 177.
—— Public Health Service, 176.
Ussher, C. D., 489.

V.

Vaglio, R., 396.
Valladares, P., 156.
Vallery-Radot, Pasteur. *See* Simond & Pasteur Vallery-Radot
Van den Branden, F., & Dubois, A., 535.
Vasconcellos, F., 34.
Verge, A., 510.
Vialatte, C. *See* Foley & Vialatte.
——. *See* Sergent, Foley & Vialatte.
Vianna, G., 402.
——. *See* Aragao & Vianna.
della Vida, M. L., 3.
Vignat, M., 400.
Villejean, A., 153.
Vincenzo, R., 100.
Vinson, L., 96.
Violle, H., 333.
Visentini, A. 386.
Vivie, 303.
Voillemot. *See* Gougerot & Voillemot.
Vorwerk, 69.

W.

Walker, E. L., 110.
Wanhill, C. F., 139.
Watkins, 426.
Watson, D. P. *See* Bruce, Hamerton, Watson, & Lady Bruce.
——, M., 192.
Weinberg, M., & Ciuca, A., 108.
——, & Séguin, P., 108.
Weiss, E., 275.
Werner, H., 12, 50, 131, 376.
——. *See* Giemsa & Werner.
——. *See* v. Prowazek & Werner.
Weston, W., 278.
Whitamore, V. N., 538.
White, F. N., 17.
——, G. D., 121.
Whyte, G. D., 38.
Wick, W., 48, 538.
Willcocks, R. W., 282.
Willets, D. G., 297, 299, 517.
Williams, C. E., 427.
Wills, E. F., 132.
Winogradoff, W. W. *See* Yakimoff, Schokhor, Koselkine, Winogradoff & Demidoff.
Wise, K. S., 159.
Woodcock, H. M., 385.
Woolley, P. G., 140.
Wu Lien-Teh (G. L. Tuck), 241.

Y.

Yakimoff, W. L., 134.
——, & Schokhor, N. I., 134.
——, Schokhor, N. I., Koselkine, P. M., Winogradoff, W. W., & Demidoff, A. P., 133.
Yofé, H., 295.
Yorke, W., & Blacklock, B., 66.
Yoshida, S. O., 519.
Young, W. McC., 428.
——, W. J. *See* Taylor & Young.

Z.

Zannini, W., 537.
Zanzibar Protectorate, 415, 426. 445, 455.
Ziemann, H., 122, 130.
Zupitza, M., 74.

INDEX OF SUBJECTS.

Alnhum, *see under* **SKIN DISEASES, Tropical**

AMOEBIASIS (Amoebic Dysentery, and Liver Abscess, *see also* **DYSENTERY**), 297–311
Amoebic Dysentery
Amoebae
in Alimentary Canal of Man, 298
Classification of, 306-7
in Colon, Malarial symptoms associated with, 298
Staining directions, 298
Craigia hominis and others, Classification, Morphology, and Biology of, 306–7.
Entamoebae
Chromidia in, 308, 309, 310
Cysts of, Staining, etc., of, 311
Forms associated with Man discussed, 307
in Panama Canal Zone, 309
in Philippine Islands, 298
Species discussed, 307
Used in Experiments on Animals, retained Virulence of, 310
E. brasiliensis, 309–10
Chromidial Masses in, 310
Morphology of, 309–10
E. bütschlii, in relation to *E. coli*, 309
E. coli, Biology of, in Panama region, 309
Classification, Morphology, and Biology of, 306–7
Differentiation of, from *E. brasiliensis*, 310
E. histolytica, 307–8
in relation to *E. nipponica* and others, 307
Infection, proportion of, to that of *E. histolytica*, 297, 298
Morphology, 306–7, 308
Other forms now considered phases of, 307, 309
Preponderance of, in double infections, 297

Amoebiasis—*cont.*
Amoebic Dysentery—*cont.*
Amoebae—*cont.*
Entamoebae—*cont.*
E. Coli—*cont.*
Stage in which differential diagnosis from *E. histolytica* is possible, 298
E. hartmanni, in relation to *E. coli*, 309
E. histolytica action on, of Chaparro amargosa, 303
Emetine, 303
Puncture of liver, 304
Biology of, in Panama region, 309
Differential diagnosis from *E. coli*, 307–8
in relation to *E. minuta* and *E. tetragena*, 307
Etiology of Dysentery due to, Panama region, 318, 319
in Faeces of young Child, 302
Infection, Proportion of, to that with *E. coli*, 297, 298
Morphology, 308
Other forms now considered phases of, 307, 309
Prevalence at Kiaochau, 322
Stage in which differential diagnosis from *E. coli* is possible, 298
in Stools, Action on, of various medicaments, 299, 300
E. minuta, 307, 309
E. nipponica, 307
E. poleki, in relation to *E. coli*, 304
E. tetragena, 307
Chromidial masses in, 310
Vegetative stage of, 309
E. tropicalis, 307, 309
E. williamsi, 307, 309
Löschia
L. coli, cysts, 311
L. histolytica, cysts, 311
L. legeri, cysts, 311
Paramoeba hominis, *see Craigia hominis*, *supra*

Amoebiasis—*cont.*
AMOEBIC DYSENTERY—*cont.*
Amoebae—*cont.*
Trimastigamoeba philippinensis, Morphology of, 306
Vahlkampfia sp., cysts, 311
V. lobospinosa, Classification, Morphology, and Biology of, 306–7
Diagnosis, Differential of, by Macroscopy, 322
Incidence
Age, in Children, 301–2
Geographical
Abyssinia, 302
Borneo, 298
Brazil, 309
Ceylon, 420
India, 305
Indo-China, 536
Java, 300, 412
Madagascar, 302
Mexico, 303
Morocco, 305
Panama Canal Zone, 309
Philippine Islands, 297, 299
Saigon, 300
Singapore, 299
Sudan, 301, 302
Sumatra, 298
Texas, 303
Tonkin, 304
Tripoli, 298
Racial, 298, 299
Seasonal, 319
Malarial Symptoms probably due to, 298
Nuclear Morphology, 309
Pathology, 319
Recto-colitis, following, 301
Treatment by Emetine, 301
References to Literature, i–ii, xxxi–iii
Sigmoidoscopy in, 301
Studies on, 298
Symptoms, 301, 319
Malarial, 298
Transmission by
Carriers, 298
Uncooked Vegetables, 319
Water (of Cisterns), 319
Treatment, 534; by
Bismuth, 299, 301, 320
Chaparro Amargosa, 303
Diet, 303
Emetine, 299, 300, 301, 302, 303, 305, 420
Intravenously injected, 301
Hot Air, 303
Ipecacuanha, 299, 300, 305
Alkaloids of, 302
Magnesium Sulphate, 303
Neosalvarsan, 299, 300, 535
Rest in Bed, 303
Salines, 298

Amoebiasis—*cont.*
AMOEBIC DYSENTERY—*cont.*
Treatment—*cont.*
Salvarsan, 299, 300
Uzara, 322–3
Water-supplies in relation to, 420

VARIETIES OF
Epidemic, 322
Experimental in various Animals, 298, 304
Continuous propagation of, 310
Latent, in Borneo, 298

AMOEBIC DERMATITIS, in Chinese at Singapore, 299

LIVER ABSCESS
Acid fast bacillus found in, 304
Auto-cure of, 302
Relapses, 302
Balantidia in Stools in, 303
Action on, of Emetine, 303
Blood-Counts in, 304
Opening into
Lung, 304
Peritoneum, 303–4
Right Bronchus, 305
in Panama Canal Zone, 319, 320
Symptoms, 301, 304, 305, 306
Treatment by
Bismuth, 301
Emetine, 300, 301, 302, 303, 304, 306, 541, 542
Operation, 300, 304, 541–2
Puncture, 304
Varieties of
Multiple, 303, 304
Tropical, differential Diagnosis of, 305

BLACKWATER FEVER, 96, 294–5
Clinical Pathology, 294
Due to Malarial Infections, 484
Haemoglobinuria and, 96
Incidence
Geographical
Burmah, 295
French West Africa, 96
Germany (Berlin), 294
Kamerun, 294
Nigeria, 173
Nyasaland, 417
Palestine, 295
Sierra Leone, 484
Racial, 417
Seasonal, 96
Malaria in relation to, 90, 368, 484
Newly-discovered bodies in, 295
Prophylaxis, 295
Quinine in, 294, 295

Blackwater Fever—*cont.*
Quinine, in relation to, 294, 295
References to Literature, iii, xxxiv
Symptoms, 294
Treatment by
Lactose, Sod. chloride, and Kinké liba tincture, 96
Nephrotomy, 377
Quinine and allied products, 96
Salvarsan, 377
Serum, saline, 96
Types, 294

BERIBERI, 143–50, 209–14
Carbohydrate in Diet and, 146, 147-8
Curative powers of certain Foodstuffs, 150
Cure, by change in variety of Rice eaten, 145
Deficiency theory of, 146, 147, 148
Duodenal Ulcer complicating, 144
Epidemics of, 143, 144
Etiology, 144–5
Experimental, *see* Animal, *and* Avian, *under* Varieties
Food Stuffs (*see also* Rice), Protective and Curative Powers of, in Experimental, 150
Glands of Internal Secretion in relation to, 146–7
Incidence
Geographical
Congo, Belgian, 144
French, 410
Dutch Indies, 143
East Africa Protectorate, 211
Far East, 145
Indo-China, 536
Java, 412
Malaya, 212–4
British, 143, 145, 146
New Guinea, 408
Nigeria, 144–5, 173
Philippine Islands, 149
Sierra Leone, 144
Local and Occupational, 143
Prison, 143
Racial
Japanese (army), 143
Krooboys, 144
Seasonal, 143
Infectivity
Experiments on, 144
Resolution on, 146
Intoxication theory, 143, 147
Polyneuritis, Endemic, or, 145
Prophylaxis, 145–6
Experimental, 149–50
Protective Powers against of
Food-Stuffs, certain, 150
Milk, Normal Human, 149–50
References to Literature, ii–iii, xxxiii–iv

Beriberi—*cont.*
Rice in relation to, 143, 144, 145, 149, 150, 209 *et sqq.*, 410
Experiments with Compensated Salt Mixtures and, 148
Symptoms, 143, 144, 145
Thymus gland, disappearance of, in Experimental, in Birds, 147
Theories of, *see* Deficiency, Intoxication, *and* Vitamine
Vitamine theory and, 145
Feeding experiments connected with, 146, 147–8, 148, 150
Treatment of, 534

Varieties
Animal, Experimental Pathological Anatomy in, 149
Avian (Polyneuritis)
Experimental, attempts to produce, 144
Carbohydrate deficiency and, 146
Compensated Salt Mixtures as affecting, 148
Experiments in reference to Vitamine theory, 146–8, 149-150
Glands of Internal Secretion as affected in, 147
Protective and Curative Effects of Certain Food-Stuffs, 150
Protective effect of Normal Human Milk, 149–50
Symptoms, 143
Infantile, Protective Power of Normal Human Milk against, 149–50

Biting Arthropods and Ticks
References to Literature, xxviii, lvii–viii

Cerebrospinal Meningitis
in Cyprus, (epidemic), 419
in East Africa, 416
Treatment, by Serum, 419

CHOLERA, 324–37, 433–5
Acidosis in ; Treatment, 329
Agglutination Tests, for, 326, 327 332, 336
Anti-cholera treatment, *see* Vaccination, *under* Prophylaxis
Ants, Red, probable vectors, 327
Bacteriology, 324–7
Vibrio cholerae, 324, 326, 327
Action on, of Alkaline peptone Agars, 334–5

Cholera—*cont.*
Bacteriology—*cont.*
Vibrio cholerae—*cont.*
Agglutination tests for, 326, 327, 336
Agglutinating titre of Serum in, 324, 327,
in Carriers, 324, 327, 434–5
Cultivation of, 326, 327, 334–5
Experiments with, as to recognition, 336
Method for quick Identification, 326
Morphology of, 335–6
New Selective Media, 338–9
Non-agglutinating, 327
Theories on, 433–4
Spiral forms found with, and without, 324, 337
in Stools of Mecca-returning pilgrims, 327
Vaccines for, Polyvalent, view adverse to, 326
Viability of, in Insect faeces, 327
Bile diminution and, 333–4
Carriers
Human, 324, 326, 327, 434–5
Effect on, of Vaccination, 325, 326, 331
Insect
Ants, 327
Biting Flies, 464–5
Cockroaches, 327
Contact Infection, 324, 325
Dieudonné's Culture Medium, Hoffer-Hovorka modification of, 335
Epidemics, in Sardinia, and Turkey, *see under* Incidence, Geographical
Etiology, 324, 325, 326, 327
Bile diminution in, 333–4
Excreta in relation to, 324, 325, 327
Eyelids in, 328
Eyes in, characteristic appearance, 328
Facial aspect in, 328, 329,
Flies, Biting, as Carriers, 464–5
Incidence
Age and Sex, 326
Class and Occupational
Armies, 324, 325, 327, 329, 330, 331, 335–6, 435
Lunatics, 324, 328
Geographical
Africa, North (imported), 327
Anatolia, 324
Bulgaria, 325
Cochin China, 328
France, 336
Greece, 329
India, 447
Epidemic (1849), 450
Madras, 171

Cholera—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Indo-China, 536
Italy (Rome province), 328
Macedonia, 330–1
Mecca, 327
Philippine Islands, 329, 434–5
Sardinia, 326
Thrace, 324
Turkey, 324
Constantinople, 324
Infection of, *see* Transmission
Inoculation for, *see* Vaccination
Insect vectors, *see* Ants, Cockroaches, Flies
Lysin test in, after Vaccination, 332
Mortality among Vaccinated persons, and the reverse, 329. 330, 331
With, and without, Adrenalin, 382
Prophylaxis
Control of passenger traffic, 452
Vaccination and Vaccines, 171, 325–6, 329, 330–2
Kolle's Vaccine, 331–2
Waste Treatment, 464–5
Rashes in, Constantinople epidemic (1910–13), 324
Reactions and tests
Agglutination, 326, 327, 332, 334, 336
Bordet-Gengou, 332
Pfeiffer's, 327, 336
References to Literature, iii–iv, xxxiv–v
Selective Cholera Media, 334–5
C. P. Alkaline peptone Agar, 334
K. P. G. Alkaline egg *do.*, 334–5
Serum Agglutinating titres of, in, 324, 327
Agglutination in, 332
Enterolytic, Experiments with, on Guinea-pigs, 334
Symptoms, 324, 328, 329, 331, 337
After Kolle's Vaccine, 332
Clinical Sign Pathognomonic, 328
Toxin, effect on
Animals, 333, 334
Bodily functions, 333
Transmission by
Carriers, and Contacts
Human, 324, 325, 326, 331, 434–5
Insects
Ants, 327
Biting flies, 464–5
Cockroaches, 327
Treatment of, 534; by
Adrenalin, 328
Anti-cholera Serum, 328
Hypertonic Saline Solutions (Rogers'), 328
Sodium acetate Solution, 329

Cholera—*cont.*
Treatment of—*cont.*
Sodium bicarbonate Solution, 329
Vaccine, 171, 325–6, 329, 330–2
Alcohol or Iodine used before, 330
Kolle's Vaccine, 329
Symptoms following, 331, 323
Uraemia as cause of Death in, 328, 329
Treatment minimizing Deaths from, 329
Vaccination *see* Prophylaxis, *and under* Treatment
Water, and Water-supplies in relation to, 324, 325, 326, 433–4, 447

Asiatic, Renal lesions in, 329

Experimental
in Animals
Dogs, 334
Guinea-pigs, 333–4
Enterolytic Serum, as affecting, 334
Rabbits, 333, 334
Blood-changes in, 333
Clinical observations, 333
at Naples, 323
Symptoms, 333

DENGUE, *see also* **FEVERS, UNCLASSED,** *&* **PAPPATACI FEVER.**
Blood-changes in, 481
Experiments on, in Rhesus monkeys, 481
Incidence
Annam, 480
Cochin China, 480
Hong Kong, 480
Samoa, 163
Tonkin, 480
References to Literature, v, xxxvi
Symptoms, 480

DYSENTERY, Bacillary, Flagellate, and Unclassed (*see also* Amoebic, *under* **AMOEBIASIS**), 311–23,
Bacillary, 311–4, 320
Agglutination experiments, with organism from infected Monkeys, 314
Bacteriology, 311, 312
Bacilli of, Variability of certain Strains, studied by One-cell method, 313
B. dysenteriae, and Mixed Dysentery, 321

Dysentery—*cont.*
Bacillary—*cont.*
Bacteriology—*cont.*
B. dysentericus (Shiga), Anti-dysenteric Vaccine of, 313
Flexner type, Variability of, in cultures, 313
Varieties of, 311
Cultures, results, 313
Nomenclature discussed, 311
Organisms found in infected Macaques, 314
Panama Canal Zone, 318, 320
Y Bacillus, 320
Clinical features in Children, 312
Differential Diagnosis by Macroscopy, 322
Incidence
Age and Class, in
Children, 312
Mecca pilgrims, 312
Soldiers, 311
in Animals (Macaques), 313
Geographical
Göttingen, 312
Indo-China, 536
North Africa, 312
Probable, from ingestion of Decomposing foods, Panama Canal Zone, 318, 321
Prophylaxis, 311, 312–3
References to Literature, iv–v, xxxv–vi
Transmission by Carriers (Mecca pilgrims), 312
Treatment by
Emetine, 300
Opiates, 320
Vaccine, 312–3

Balantidial
Balantidium coli in, 318, 320
Incidence
Algeria, 318
Panama Canal Zone, 318, 320
Treatment by
Emetine, 318
Protargol, 318

Bilharzial, Panama Canal Zone, 318, 320
Schistosomum mansoni, causing, 318

Diphtheritic, or Colitis, Panama Canal Zone, 318, 321

Epidemic, in
New Guinea, 408
Trinidad and Tobago, 422

Flagellate, 314–8
Chronic, Investigation ; Symptoms ; Treatment, 317

Dysentery—*cont.*
FLAGELLATE—*cont.*
Colitis, Infantile, *Chilomastix mesnili* in Stools of, 316
Incidence, in Animals, 314
Geographical
Algeria, 316–7
Annam, 316
Brazil, 316
German East Africa, 315
Hamburg Tropical Institute, 314
India, 315
Indo-China, 315
Morocco, 315
Natal, 315
Rosario, 315
Tonkin, 315, 316
Racial, 316, 318
Mice and Rats as vectors, 314, 315–6
Chilomastix, 314, 315
Morphology and synonymy of, 314
C. mesnili in
Infantile Colitis, 316
Man, 314
Hexamastix Ardin-Delteili, New, in Chronic form of disease, 316–7
Morphology, 317
Lamblia, 318
Morphology, 314
L. intestinalis, 314, 315, 316
New, 316–7
Trichomonas intestinalis, Forms resembling and allied to, 314, 317
Symptoms, 315, 316, 317
Transmission by
Carriers, 316
Mice and Rats, 314, 315–6
Water, 316
Treatment by
Collargol, 317
Diet, 315, 316, 318
Emetine, 315, 316, 318
Enemata, 317
Extract of Male Fern, 315
Ipecacuanha, 317
Lavage, with "Liqueur de Labarraque," 316
Magnesium sulphate, 318
Neosalvarsan, 317
Protargol, 318
Quinine, 317
Rest in Bed, 315
Sodium sulphate, 317
Turpentine and Laudanum, 317
Urotropine, 317
Uzara, 315

MALARIAL, Quinine for, 321

NEPHRITIC, 318, 321

Dysentery—*cont.*
TUBERCULAR, 318, 321

UNCLASSED or MIXED
Bacteriology of, Bacilli found at Kiao-chau, 322
During Pellagra, 318, 321
Incidence
Ceylon, 419
Galicia, 322–3
Gambia, 455
German East Africa, 322–3
Indo-China, 536
Kiao-Chau, 322
Morocco, 322
New Guinea, 408
Ouadai, 536
Panama Canal Zone, 318–21
Trinidad and Tobago, 422
Uganda, 413
Macroscopy for Differential Diagnosis, 322
Notifiable in Gambia, 455
References to Literature, iv–v, xxxv–vi
Treatment by
Bismuth subnitrate, 319–20
Emetine, 319
Magnesium sulphate, 320
Surgery, 320
Uzara, 322, 323
Vaccination, 312–3

FEVERS, UNCLASSED *see also* **DENGUE**, *and* **PAPPATACI FEVER**
Febrile Affections liable to be mistaken for Malaria, 482
Fever due to *Bacterium columbense* in Ceylon, 483, 484
After effects, 484
Incidence
Aden, 482–3
Sierra Leone, 484–5
Tonkin, 483
Prophylaxis, 447–8, 482
References to Literature, v
Six day, Differentiation from Dengue, 481
in Panama, analogous to Indian Seven-day Fever, 481
Transmission, various modes, 482
Undifferentiated Fevers of Aden; Three Types, 482–3

FILARIASIS. 124–34
ANIMAL, 133–4, in
Agama colonorum, 133
Chameleon, 134
Domestic Animals, 128, 133, 134
Horses, 133

Filariasis—*cont.*
ANIMAL—*cont.*
Lizards, 133
Filaria and Microfilaria of, 133, 134
F. furcata, from Chameleon, 134
Incidence
Austro-Hungary, 133
Germany, 133
India, 133
Ivory Coast, 133
Madagascar, 133
Oubangui river, 133
Sudan, 133
Turkestan, 133, 134
Setaria labiato-papillosum, 128

HUMAN
Blood examination in Diagnosis, 125
Conservancy in relation to, 416
Diagnosis
Blood examination in, 125
Possibility of mistaking for Plague, and *vice-versâ*, 130
Filaria and Microfilaria of
Embryonic forms in Natives, French Soudan, 125
Embryos, growth of, *in vitro*, 128
Position of, in dry preparations, 127
Periodicity of, 126, 128, 129
Staining technique, 126–7
F. bancrofti, 132
Geographical distribution, 124, 125, 127, 131, 163
from Lung-blood, 129
in Natives, Nyasaland, 417
Positions assumed by Dry Embryonic forms, 127
F. demarquayi, 128
F. immitis, culture of, 128
F. loa, Geographical distribution of, 124, 125, 131; probable, 127
Periodicity of, 129
Positions assumed by Dry Embryonic forms, 127
F. perstans, 128
Geographical distribution, 124, 125, 131
Positions assumed by Dry Embryonic forms, 127
M. loa (*diurna*) Position of, in Dry preparation, 127
Onchocerca volvulus, 128
Filarial infection, Tropical tissue inflammations due to, 120
Incidence
Algeria, 124
Ceylon, 125
Dahomey, 124

Filariasis—*cont.*
Human—*cont.*
Incidence—*cont.*
East Africa Protectorate, 176
French Equatorial Africa, 124
West Africa, 124
Soudan, 125
Guinea, 124
Indo-China, 125
Ivory Coast, 124
Kamerun, 127
South, 129
Mauritania, 124
New Guinea, 129
Nigeria, 127
Nyasaland, 417
Ouadai, 536
Porto Rico, 129, 130
Samoa, 163
Senegal, 124
Upper Senegal Niger, 124
West Africa, 131
West Indies, 126
Zanzibar, 415, 416
Microfilariae in Blood, in Zanzibar, 415
Ova in Faeces in
Ankylostoma, 125
Taenia, 125
Tricocephalus, 125
Plague possibly mis-diagnosed for, 130
Prophylaxis, 125
References to Literature, v–vi, xxxvi
Symptoms, 124, 125, 127–130
Transmission by
Carriers, 125
Mosquitoes, 125
Treatment by
Emetine, 125
Enosol, 125
Neosalvarsan, 125, 535
Phenokol, 131

DRACONTIASIS
Filaria medinensis in, 134
Incidence
Bokhara, 134
Nigeria, 173
Nyasaland, 418
Ouadai, 536
Leucocyte formula in, 134,

ELEPHANTIASIS, 131–3
Glandular fibrosis and, 133
Incidence
Barbados, 132
Non-Tropical, 132
North Carolina, 131
Ouadai, 536
Samoa, 132
References to Literature, vi
Scrotal, Operative treatment, 132

Filariasis—*cont.*
ELEPHANTIASIS—*cont.*
with Syphilis, Treatment by Salvarsan, 423
Treatment
Operative, 132
Kondoleon's operation, 131
Lymphangioplasty, 132
Salvarsan, 423
Thiosinamin, 131

LYMPHANGITIS, Pernicious filarial, simulating Bubonic Plague, 130

Granuloma Pudendi, 159–61
Incidence
Australia, 159
Brazil, 160
British Guiana, 159, 160
Central Africa, 159
Ceylon, 159
China, South, 159
India, 159
West Africa, 159
Organisms found in, 159–61
Protozooal Parasite of, 159–60, 161
Spirochaetes in lesions, 159
Sporotrichum found in, 161
Symptoms, 160
Treatment, by
Surgery, 160
Tartar Emetic, 160, 161

Guinea Worm, *see* DRACONTIASIS *under* **FILARIASIS**.

Heat Stroke, 135–42
Etiology, 135, 140
Factors influencing production in troops, 139–40
Humidity in relation to, 136–9
Prophylaxis, 136, 140
References to Literature, vi, xxxvii
Symptoms, 141
Simulating Cerebro-spinal meningitis, 142
Thermocalorimetry of, 141–2
Treatment by
Artificial respiration, 141
Cold-producing methods, 136
Saline solution, 140–1

HELMINTHIASIS, 97, 111, 445, 517–28
Abderhalden's Dialysis Process in; investigations with, 527–8
Anguillula intestinalis infections, Tonkin, 105
Anthelminthics, references to Literature, ix

Helminthiasis—*cont.*
Chemotherapy, references to Literature, ix
Cotylogonimus heterophyes (?), 518
Diagnosis, Echinococcus, Anaphylactic, reaction by, 108
Eggs of Parasites in Stools, rapid mode of demonstrating, 106–7
Flukes, 536
Helminths in Tonkin cases, 105
Helminthemesis in
America, U.S., 106
Persia, 106
Heterakis maculosa infection, Eosinophilia in, 109
Hymenolepis nana, 517
in Algerian Arabs, 106
Incidence
Algeria, 106
Korea, 518
Nigeria, Northern, 105
Persia, 106
Philippine Islands, 517
Texas, 517
Tonkin, 105–6
U.S.A., 106
Parasites of, in Texas, 517
Phagocytic properties of Eosinophiles, 108
Plerocercoides prolifer Infection, in Japan, 519
Symptoms, 519–20
Prophylaxis, 445
References to Literature, vi–ix, xxxvii–ix
Serum reactions, 107–9
Stephanurus dentatus in pigs, Annam, 110–11
Toxins of, effect on
Central Nervous system, 107–8
Phagocytic activity of Eosinophiles, 108
Treatment by
Castor oil, 106
Male fern as Vermifuge
Fatal Poisoning from, 528
Santonin, 106
Various infections, Tonkin, 105–6
Vomiting of Round worms
Persia, 106
U.S.A., 106

ANKYLOSTOMIASIS, 101–4
Anaemia of (*see also* Symptoms), 524
Haemoglobin response to Anthelmintics, 524
Indication from persistent Eosinophilia, 525
Treatment, 524–5
Arthritis of, 524
Blood-changes in, 522, 524–5
Brazilian papers on, *cited*, 521–2

Helminthiasis—*cont.*
Children, infected with *Necator Americanus*, number of, in Texas, 517
Conservancy defects in relation to, 420
Diabetes case showing, 524
Diet in relation to, 445
Incidence
Class, in Free persons and Prisoners, 101, 517
Various, 522
in Workers above and below ground, 523
Geographical
America, U.S., Texas, 517
Brazil, 103, 521–2
Ceylon, 419
China, Central, 522
Southern, 518, 523
Egypt, 452–3
England, 101
Guiana
British, 525
French, 101
German colony, 453
Nigeria, 173
Nyasaland, 418
Philippine Islands, 517
San Francisco, 179
Porto Rico, 102
Wide distribution of, 103
Sex, 522
Infection in, *see also* Transmission
Mixed, 102
Through Skin, 521
Influence of, on Eyes, 523
Parasites associated with
Ankylostoma, 522, 536
Morphology, &c., 521
Ova, in Boys' faeces, 524
A. ceylanicum and *braziliense*, identity discussed, 104
A. duodenale, 518
Infection of, 101, in European, 101
French Guiana, 101, 102
Ascaris lumbricoides, in Ankylostomiasis, 102
Necator Americanus infection
French Guiana, 101–2
Texas, 517
Tonkin, 105
Pregnancy and, 523
Prophylaxis, 102, 103, 445, 525
Salt solution for destroying Ova &c., 445
Lucal Heater as substitute for, 445
Travelling hospital in Egypt, 453
References to Literature, vii–viii, xxxvii–viii

Helminthiasis—*cont.*
Symptoms, 485, 523
in Orientals, 179
Transmission by
Drinking-water, 101, 102
Re-infection, 101
Treatment by.
Anthelminthics, 445, 522
Arsenic, 524–5
Beta-naphthol, 522, 524
Cathartics, 103
Chenopodium brasiliense, and other herbs, 522
Iron, various forms, 524, 525
Ol. Chenopodii, 107, 522
Objections to, 524
Quinine, 102
Sulphur tablets, 101
Thymol, 101, 102, 103, 485, 522, 524
So given as not to derange Work, 525
Tricocephalus in, 102
T. dispar, 102
Urine as affected in, 522
Various organs as affected in, 522

Ascariasis, 104
Ascaris, 522, 536
Action on, of Santonin, 526
Appendicitic symptoms relieved by expulsion of, 526
Death from passage of one into Lung, 534
A. canis (?), 518
A. lumbricoides, 105, 173, 517, 518
in Ankylostomiasis, 102
Infection by, investigated by Abderhalden's Dialysis method, 528
Migration of, 525
Ova, Atypical forms, 526
Where found
Algeria, 106
Malabar, 526
Mixed infections, 502, 106
Nigeria, 105
Persia, 106
A. megalocephala, 107
in Horse Serum
Investigations with Abderhalden's Dialysis Process, 527–8
Experimental, 107
Incidence
Age (prevalence in children), 526
Geographical
China, 525
India, 104
Madras, 526
Malayia, 525
Nigeria, Northern, 173

Helminthiasis—*cont.*
ASCARIASIS—*cont.*
Pseudo-appendicitis from Ascarides, 104
References to Literature, ix, xxxviii
Symptoms, 104, 105–6
Treatment by
Castor oil, 104
Cathartics, 106
Ol. Chenopodii, 107
Santonin, 104, 106, 526

BILHARZIASIS, *see* SCHISTOSOMIASIS, *infra*

CESTODE Infections, *see* TAENIASIS

DISTOMIASIS, 97–8, 518
Clonorchis (or *Opisthorchis*) *sinensis*, 518
Fish of Notropis genus, intermediate host of, 518
Infections by, Tonkin, 105
Distoma pulmonalis, 518
Experiments on Ova and Embryo of, 97
Fasciola hepatica, Biology of, 97
Paragonimus westermani, *see Distoma pulmonalis*
Limnea truncatula host of *Fasciola hepatica*, 97
References to Literature, vi, xxxvi

DRACONTIASIS, *see under* **FILARIASIS**

ELEPHANTIASIS, *see under* **FILARIASIS**

FILARIASIS, *see* **FILARIASIS**

NEMATODES
Nematode Formula, bearing on, of variations in *Oxyuris*, 527
Infections, *see* ANKYLOSTOMIASIS, ASCARIASIS, OESOPHAGOSTOMIASIS, OXYURIASIS, TRICHINELLIASIS
in Northern Nigeria, percentages, 105
References to Literature, vii–viii, xxxvii–viii

OESOPHAGOSTOMIASIS
Incidence
Brazil, 110
East Africa, 110
Nigeria, Northern, 110
Philippine Islands, 110
O. apiostomum, Biology of, 110
O. brumpti, 110
O. stephanostomum, 110
References to Literature, viii

Helminthiasis—*cont.*

OXYURIASIS
Oxyuris vermicularis, 105, 517, 518
in Human Vermiform Appendix, 527
Infection in
Algeria, 106
Nigeria, 105, 173
Persia, 106
Scotland, 527
Variations in, as affecting Nematode formula, 527
References to Literature, ix, xxxviii
Treatment by Ol. chenopodii, 107

SCHISTOSOMIASIS (Bilharziasis), 98-9, 173, 445, 519
Clinical study of, 519
Incidence
Anglo-Egyptian Sudan, 99
China, 518
Yangtse Valley, 99
East Africa Protectorate, 176
Egypt, 452–3
India, 98
Japan, 518
Nyasaland, 418
Ouadai, 536
Venezuela, 99
Intestinal, resembling Appendicitis, 99
Miracidia, from Faeces of, 445
Pathological study of, 519
Prophylaxis, 445
References to Literature, vii, xxxvii
Schistosoma infection, connection of, with Yangtze fever, 518
S. haematobium, Transmission experiments with, 98
S. japonicum, 99, 522
Symptoms, 98, 99
Transmission, experimental, by *Schistosoma haematobium* miracidia, 98
Treatment of, 534, by
Calcium chloride, 98
Emetine, 99
Ionization (suggested), 519
Neosalvarsan, 535

STRONGYLOIDOSIS
Strongyloides intestinalis, 518
Infection by, with rare symptoms, 109
Strongyloides stercoralis, 517
Treatment by
Filix-mas, 109
Thymol, 109

Helminthiasis—*cont.*
TAENIASIS, Intestinal and Somatic, 99–100, 173, 517
Cestodes of *Taenia* genus, Adult, in Carnivora, non-occurrent in Man, and the reverse, 520
Larvae of, in Man, Japan, 519–20
Coenurus serialis, 520
Cysticercus bovis, Freezing to destroy vitality of, 520–1
C. fasciolaris, 520
C. ovis, 520
C. pisiformis, experimental ingestion of, 520
Dipylidium caninum infections in Man, incidence &c., 100
Hydatid of
Liver, Annam, 100
Omentum, India, 100
Orbit, India, 100
Mulliceps serialis, experiments on, 520
References to Literature, vii, xxxvii
Transmission by Fleas (canine), 100
Taenia, 536
T. cucumerina, 517
T. hydatigena, experiments with, 520
T. inermis infections, Tonkin, 105
T. lata, 173
T. nanum, Anaemia due to, Pathogeny of, 99
T. ovis, experiments on, 520
T. plicata, 107
T. saginata, 106, 173, 517, 518
T. serrata (*pisiformis*), experimental Ingestion of larvae of, by Man, 520
T. solium Infection, 173
Investigation by Abderhalden's Dialysis Process, 528
T. teniaeformis, experiments on, 520

TREMATODE Infections, *see* DISTOMIASIS, & SCHISTOSOMIASIS
References to Literature, vi–vii, xxxvii

TRICHINELLIASIS
References to Literature, viii, xxxviii

TRICOCEPHALIASIS
Incidence
Algeria, 106
Nigeria, Northern, 105
Tricocephalus, 522
T. dispar, 517
in Ankylosromiasis, 102

Helminthiasis—*cont.*
TRICOCEPHALIASIS—*cont.*
Tricocephalus—*cont.*
T. trichuris, 518, 527
Infection of, Tonkin, 105

UNCINARIASIS in Porto Rico, 102

HYGIENE, APPLIED, IN THE TROPICS, 169–236, 413–76
Anguilla, Vital statistics, 475–6
Anthrax, Transmission by Flies, Philippines, 465
Anti-malarial measures, 196–9, 200–1, 207, 227, 418–9, 424–5, 455–7, 472–3
Bahamas, 420–1
Conservancy matters, 421
Typhoid in, 421
Water-supply, and Malaria, 420
Outlying Islands, Sanitary conditions in, 421
Building Rules, Uganda, 455
Burma, Jail diseases in, due to Dietary, 446-7
Bored Wells in, 469–70, 471–2
Malaria and Irrigation, 427
Ceylon, 419–20
Conservancy matters, 420
Diseases prevalent, 419–20, 432–3
Vital statistics, 419
Conservancy, *see also* Waste, *and under* Countries
Filter, and Night-Soil methods 461
Incinerators, at Kampala, 463
Make-shift, 225–6
Cyprus, Anti-malarial work, 418–9
Vital statistics (1913), 418
Diet, Fixed in Jails, Diseases due to, 444, 446–7
Disease Prevention, *see also* Prophylaxis, *under each* Disease
Diseases dealt with
Beri-Beri, 209 *et sqq.*
Cholera, 171, 433–5, 447
Fevers, 447–8
Helminthiasis, 445
Ankylostomiasis, 445
Bilharziasis, 445
Kala Azar, 428–9
Malaria, 171, 180 *et sqq.*, 196–9, 201–1, 207, 227, 418–9, 424–7, 448, 455–7, 472–3
Pellagra, 443–5
Plague, 202 *et sqq.*, 429, 432–3
Scurvy-like disease in Jails, due to Fixed Diet, 446–7
Small-pox, 171–3, 214–5, 436–43
Strain and Neurasthenia, 216 *et sqq.*
Tuberculosis, 423
Yaws, 435–6
Yellow Fever, 427–8

Hygiene, Applied—*cont.*
Disease Prevention—*cont.*
Methods employed, *see also* Anti-malarial measures
Anti-scorbutics, 446–7
Rat-exclusion and Destruction, 203–7
Segregation, 413
Vaccine, 214–5, 413
Stations, Tropical, Selection of, 215 *et sqq*
Type of Man fitted for Official life in Tropics, discussed, 216 *et sqq.*
East Africa Protectorate
Death rates, 176
Diseases prevalent, 176
Staffing matters, 176
Finance in relation to, Egypt and India, 455–6
Flies as Vectors of
Anthrax, 465
Cholera, 464
India
Anti-malarial works, 426–7
Conservancy, 451
Sanitary works, 466–9
Vital statistics, 474
Water-supplies, Public, as affecting Urban Health, 447–8
Madras
Anti-malarial prophylaxis, 171
Conservancy, 169–70
Death-rates, 169
Delta Land reclamation, 228–9
Diseases prevalent, 169
Plague Prevention System, 206 *et sqq.*
Report of Sanitary Commissioner, 169–72
Sanitary works and methods, 170, 171–2, 227
Staffing matters, 170, 171
Water Supply, 170, 171, 172
Village, 229–36
Punjab, Vital statistics, 231–2
Jails, adequate Air-supply for, 414
Malaya, Anti-malarial measures at Singapore, 197
Mauritius, Plague death-rates, 202
Milk sales, rules on, in Honduras, &c., 455
Mombasa, Plague at, 202
Nigeria, Northern
Death rate, 172, 173
Diseases prevalent, 173, 175
Hospital provision, 172–3
Sanitary measures and works, 174–5, 227
Station for, choice of, 215–6
Nyasaland
Conservancy in relation to Ankylostomiasis, 418
Diseases prevalent, 417

Hygiene, Applied *-cont.*
Philippine Islands, Anthrax in transmission of, 465
Port control, in U.S.A., 454
Rat-proof Dust-bin, Shanghai, 226
References to Literature, xxix–xxx, lviii–ix
St. Kitts, Nevis, and Anguilla, Report on, 422–3
Sanitary Legislation
Madras, Town Planning, 222–4
Nigeria, Railway Stations and Sites, 226
Northern, Leper Segregation and Mahomedans, 224
Sanitary Measures,
Uganda, 414–5
Zanzibar, 415
Sanitary Organisation, 450–4
America, U.S., 453–4
Ceylon, 452
Egypt and the Sudan, 452
Hong Kong, 455
India, 450–2
Religious objections to Sanitation, 451–2
Italian Law, 460, of 1901, on Malarious Zones, 456–7
Sanitary Rulings, 455–7
Egypt and the Sudan, 455–6
Gambia, 455
Honduras, 455
India, 455–6
Philippine Islands, 455
Uganda, 455
Zanzibar, 455
Sanitary Works, 227 *et sqq.*, 466–73
Drains, Open, Reinforced Concrete for, 472–3
Wells
Artesian, and Sub-Artesian, 466–9
Bombay, 446
Burma, 469–70
Boring of, Cheap system of, 470, 471–2
Sierra Leone, Tests of Darling's Larvicide at, 199–200
Trinidad and Tobago
Diseases prevalent, 422
Infant mortality, heavy, 422
Malaria prevention, 422
Port precautions, 422
Vital Statistics, 421–2
Uganda, Conservancy, and Waste Treatment, 458–62
Diseases prevalent, 413–4
Medical and Sanitary Report (1913), 413–5
U.S.A., Ankylostomiasis at San Francisco, 179
Yellow fever in relation to, 178
Precautions regarding, 176–7 *& n.*, 427

Hygiene, Applied—*cont.*
Vegetables, Raw and Cooked, in Jail Dietaries, 446–7
Vital Statistics, 231–2, 474–5
Anguilla, 475–6
Indian Census (1911), 474
West Indies, Illegitimacy and Infantile Death-rates, 475
Zanzibar, 416
Waste, Treatment of, 225–6, 458–65
Food, Fly-contamination of, 464
Incineration of Night Soil, 462–3
Latrine, Filter Pit, 461–2
Fly-proofing of, 463–4
Sullage Disposal, Filters for, 459 *et sqq.*
Water Supply, or Drainage, 462
Water-supplies, Public, Influence of on Health of Indian Towns, 447–8
West Indies
Infant Death-rates in, 475
Among Hindu immigrants, 475
White race, and life in Tropics, 215 *et sqq.*
Yellow Fever, Quarantine regulations, U.S.A., 427
Zanzibar, Anti-malarial measures, 417
Birth-rate, Swahili, Declining, 416
Climate in relation to Europeans (selected), 416
Disease prevention, 415–7
Diseases prevalent, 415–7
Rat-destruction, 416
Sanitary improvements, 415
Vital Statistics, 416

KALA AZAR, 392–404, 428
HUMAN and GENERAL
Atmospheric conditions affecting spread by Dog-fleas, 392–3
Canine, in relation to, 393–4
Ceratophyllus fasciatus, and Mouse-infection, 374
Crithidia fasciculata of *Anopheles maculipennis,* and Mouse-infection, 394
Cteonocephalus canis, as transmitter of Leishmania from Dog to Man, 392–3
Cultural Media employed, 396–7, 400
Dogs as vectors, 392–3
Experimental Infection of, variously effected, 392, 393, 394
Incidence
Age, 394, 395

Kala Azar—*cont.*
HUMAN AND GENERAL—*cont.*
Incidence.
Geographical
Ceylon, 419
Greece, 392
Ionian Isles, 395
Mediterranean region, 394
Sicily, 392
Tunis, 394–5
Herpetomonas ctenocephali and *pattoni,* Experimental Infection by, of Mice and of Dogs, 394
Leishmania, Development in, and Transmission from, Dog to Man by Fleas, Temperature in regard to, 392–3
L. Donovani, behaviour of in Indian Dog-flea, 393
Cultural Strains of, 395
Vitality and development of, in cultural media, 396–7
Melophagia, M. ovinus, infected with *Crithidia melophagia,* Experimental infection by, of Mice, 394
Prophylaxis, 428–9
Segregation and, 428–9
Site Infection and, 428–9
Temperature in relation to Transmission to Man by Dog-fleas, 392–3
Pulex irritans absent from Madras 394
Transmission by Fleas, 392–3, 395

VARIANT FORMS
Indian, 395
Infantile, *see* Mediterranean
Mediterranean, 395
Cultural Experiments with Leishmania from Blood in, 396, 397
Incidence
Age, 395
Geographical
Ionian Isles, 395
Sicily, 392
Seasonal, 392–3
Leishmania in Blood in, 396
L. donovani, Experiments on Viability and Development of, in Cultural media, 396–7
L. infantum, Experimental infection by, of Mice, 401
Flagellate forms, action on, of
Isoamyl-hydro-cuprein, 398
Quinine, 398

Kala Azar—*cont.*
Variant Forms—*cont.*
Mediterranean—*cont.*
Summary of present knowledge on, 395
Splenic Anaemia in, with similar Mortality, 395

Canine, 392, 393, 394
Fleas as vectors, Experiments with, 392, 393, 394
Human, in relation to, 393–4
Incidence,
Algeria, 392, 398
France, 398
Italy, 393
Mediterranean region, 394
Sicily, 393
Tunis, 394, 395, 398
Transmission experiments, with Canine *Leishmania*, 395, 398–9
Dog-fleas, 392–3

Experimental
in Dogs, 392, 393–4
in Mice, by
Herpetomonas Infection
H. ctenocephali and *H. pattoni*, 394
Leishmania infantum, 398
Other infections, 394

Tropical Sore
Biskra button, cure of, 400
Complement deviation in, 401
Cultures of *Leishmania tropica* from Italian Oriental Sore, 400
Familial, cases of, 399–400
Geckos with
Leptomonas flagellates in Blood, 399
Trypanosoma platydactyli in Blood, 399
Haemolysis prevented by Serum of Leishmania-infected Persons or Animals, 401
Immunity to, acquired, 410
Incidence
Geographical
Biskra, 399, 402
Brazil, 402, 403
Italy, 400
Palestine, 410
Paraguay, 400
Tripoli, 400
Seasonal, 410
Insect vectors, 399, 402
Leishmania of
in relation to *Trypanosoma cruzi*, 403
L. brasiliensis 403
as Parasite of Smooth Muscle Fibres, 402–3

Kala Azar—*cont.*
Tropical Sore—*cont.*
Leishmania of—*cont.*
L. Tropica, Cultural Strains of, 395
Cultures of, from Italian case, 400
Experimental infection by- of Mice, 401
Leptomonas from blood of Geckos, 399
Locations of on person, in S. America, 402
Phlebotomus fly as vector, 399
P. minutus, 399
P. papatasii, 399
References to Literature, x–xi, xxxix–xl
Relation to, of Kala Azar, 395
Serological Researches, 401
Symptoms, 402, 403
Transmission by and to
Phlebotomus flies (probable), 399
Rattlesnakes by Ticks and Flies, 402
Simulium, 402
Ticks, 402
Treatment by
Antimony tartrate, 403
Hot Air, 400
Mercury benzoate, 400
Potassium iodide, 400
Salvarsan, 403
Serum, 403
Tartar emetic, 403
Wassermann reaction and, 400, 402

Uta, in America, North and South, 404
Leishmania tropica, in, 404
Nomenclature, local, 404

LEPROSY, 507–16
as affecting Sexual Functions, 508
Bacteria and Micro-organisms of
B. leprae, Tubercular lesions due to, 516
Hansen's, in Glands of Healthy-seeming Persons, 509–10
Resemblance of, to *B. leprae* of Koch, 516
and Stefansky's close relation between, 516
Study of, requisite, 507
Cultural Experiments in a case of Nodular, 513–4
Curability 508
Experimental, in Japanese dancing mice, 516

Leprosy—*cont.*
Histology of a case from Russia, 514–6
Human and Rat, Analogies of, 516
Incidence
Geographical
Algeria, 510
America, 507
Asia, 507
China, 507
Australasia, 507, 510
Caucasus, 507–8
East Africa Protectorate, 176
Europe, 507
France, 510, 513
Grand Bassam, 509
Loyalty Islands, 511
Madagascar, 510
New Guinea, 408
Nigeria, Northern, 173, 224
Ouadai, 536
Philippine Islands, 409
Russia, European, 514
St. Kitts, 423
Uganda, 413
Zanzibar, 417
Insect vectors, 509
Isolation for, in France, advised, 513
Lepers' Hospital at Térek, Report on work of, 507–8
Mixed case, 510
Musca domestica as vector, 509
Notification of, in France, advised, 513
Origin ; Theories on, 507
Prophylaxis, 413
in France, 513
Segregation, 224, 413, 417, 510
in relation to Mahomedans, 224
References to Literature, xi–xii, xl–i
Stomoxys calcitrans as vector, 509
Transmission by
Contagion, 507, 508
Flies, 509
Heredity, 508
Treatment of, 534, by
Anti-leprum, of Bauer & Co., 508
Carbonic-acid Snow, 512
Chaulmoogra Oil, 508, 511–2
Iodoform, 512
Nastin, 508
Neosalvarsan, 535
Oily Drugs, Intramuscular Injections of, risks of Encystment of, 512
Potassium iodide, 511–2
Rest, Hygiene and Good Food, 512

Forms of
Anaesthetic, 508, 510
Macular, 510
Nervous, 408
Nodular, 408

Leprosy—*cont.*
Forms of—*cont.*
Nodular—*cont.*
Attempted cultures with, and Animal Inoculations, 513–4
Escape of persons in contact with, 510
Tubercular, 508, 515–6

Rat Leprosy, analogies with the human form, 516

MALARIA, 78–95, 180–201, 289–93, 361–80, 424–7
Aberrant forms of ; vigilance required, 371
Afforestation and Deforestation, in relation to, 365, 367
Agglutination tests for Parasites, 363
Anopheles associated with
Daylight raid of, 449
Flight of, observations on, 448–9
Larvae of, breeding places, 425
Rainfall as affecting, 362, 366
Staining of, in life, 449
Distribution of
Algeria, 425, 426
Bahamas, 420
Ceylon, 362
Mauritius, 89
Panama Canal Zone, 78, 80, 448, 449
Rhodesia, 368
South Africa, 369
Sumatra, 88
United States, Southern, 82
Zanzibar, 415
List of those referred to
albimanus, 78, 80, 448, 449
albirostris, 88, 182
albotaeniatus, 88
apimaculata, 78
argyrotarsis, 78
barbirostris, 87, 88, 182, 183, 286
Mite infesting, 287
chaudoyei, 287
costalis, 89
crucians, *see punctipennis*, *infra*
cruzii, 78
culifacies, 182, 183, 286
eiseni, 78
fowleri, 182
franciscanus, 78
uliginosus, 87, 286
Mite infesting, 287
adei, 182, 183, 185
gorgasi, 78
halli, 286
kochi, 88
leukosphyra, 88
listonii, 182
alboapicalis, 286

Malaria *cont.*
Anopheles—*cont.*
List of those referred to—*cont.*
maculipalpis, 286, 363
malefactor, 78, 80
nigerrimus, 182, 286
palestinensis, *see pharoensis*
pharoensis, identity with, of *palestinensis*, 411
pseudopictus, 87
pseudopunctipennis, 78, 80
punctimaculata, 78
punctipennis, 80, 82
punctipennis (*crucians*), 82, 362, 449
punctulata, 88
quadrimaculatus, 82, 362
quinquefasciatus, 362
restuans, 363
rossii, 87, 88, 182, 286
indefinata, 182
salinarius, 363
sinensis, 87, 88
stephensi, 451
superpictus, 411
tarsimaculata, 78, 80, 448, 449
territans, 363
vaga, 88
willmori, 286
Anti-malarial measures (*see also* various kinds *under* Prophylaxis), in Various Countries, 78, 171, 181, 194–7, 200–1, 207, 227, 364, 365, 366, 368–9, 418–9, 424–5, 448–9, 456–7, 472–3
Autolysins in Blood in Endo-, and Extra-globular, 91–2
Bats, use of, against, 288
Blackwater fever, in relation to, 90, 388, 484
Blood conditions in, 91–2, 371, 372
Blood examinations in, 367, 371
Blood films for diagnosis, when best made, 370
Cachexia in, special Treatment, 94
Canalisation for, 425
Cellia, *see pharoensis*, *under* Anopheles, *supra*
Ceratopogon ferox, mosquitoes infected by, 286
Children specially liable to, 364
Forms of Quinine for, 377
Coma in : Quinine-cured, 92
Complications of (*see* Blackwater fever, *supra*), relative immunity to, of Negroes, 373
Copper sulphate as Larvicide, 81
Death-rate reduction by Quinine Prophylaxis, Kamerun, 91
Decline of, in
Ceylon, 419

Malaria—*cont.*
Decline of—*cont.*
Cyprus, 419
Panama, 425
Depopulation due to, 367
Diagnosis, 91–2
Early, value of, 369–70
Microscopic : value in, of Thick films, 91
Mistakes liable to be made in, 482
Ditch-flooding by Waste water, and, 424
Drain-lining by Concrete, and, 472–3
Drainage against, 84–5, 361, 362, 363, 419, 424, 425, 448, 453
Effect on, of encouraging Vegetation on Sand-dunes, 365
Endemic index investigations, Madagascar and Tonkin, 361
Epidemic at Burdwan, 184 *&n.*
Evasion, by Sleeping on Higher ground, 164
Febrile affections liable to be mistaken for, 482
Fevers due to, in Sierra Leone, 484, 485
Fish, larvivorous, in relation to, 361, 362, 366, 378
"Millions," 369
Minnows, 424
Fumigation, *see under* Prophylaxis
Gametes in
Estimation of, 79
in Malignant Tertian, origin, development, flagellation, &c., 85–6
Haematin, in relation to Malarial Paroxym, experiments on, 89
Haematological index, advantages claimed for, 361
Haematozoa to be looked for in patients from Tropics before any Surgical operation, 367
Haemoproteus of Birds, experimental Infection with, 378-9
H. columbae, experiments with, on Birds, 378
Herpes zoster associated with, 373
Immunity
Age in relation to, 95
Negro, 87
Researches on, with Birds, 378–9
Incidence
in Children, 82, 83, 84, 361, 362, 364, 365, 366, 372, 427
Geographical
Aden (imported), 483
Africa
Algeria, 378–9
Ceylon, 419–20
East Africa Protectorate, 176
Egypt, 366, 367, 378

Malaria—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Africa—*cont.*
German South-West, 376
German West (Kamerun), 91, 95
Haut Sénégal et Niger, 83
Nigeria, Northern, 173, 227
Nyasaland, 417
Ouadai, 536
Rhodesia, Southern, 368
Sahara (Oued Rir, and Oued Souf), 287
Africa, South, 368–9, 376
Togoland, 87
Transvaal, Northern, 369
Uganda, 414, 455
Zanzibar, 417, 424
America, Central
Honduras, 370
America, U.S., 83
Alabama, and other States, 82
Connecticut, 363
Florida, 288
Illinois, 368
Indiana, 368
Michigan, 368
New Jersey, 363
New York, 363
North Carolina, 82, 362, 424-5
Rhode Island, 363
Southern Territories, 363
Anguilla (imported), 476
Brazil, 372, 376
Burma, 286–7, 427, 448
Camaran Island, 88
Ceylon, 362, 419
China (Hong Kong), 366, 370
Cochin China, 87
Corsica, 287–8, 482
Cyprus, 366, 418–9
Germany (Altona), 289
South-East, 89
Greece, 366, 367
Havana, 366
India, 93, 379, 426–7
Bengal, 180 *et sqq.*
Madras, 171, 227 *et sqq.*
Indo-China, 536
Italy, 84–5, 364, 365, 367, 448, 456–7
Jamaica, 372, 449
Madagascar, 361, 371
Malaya, 197–9, 292, 366, 374
Mauritius, 89, 227
New Guinea, 407
Palestine, 410–11
Panama Canal Zone, 78 *et sqq.*, 85–6, 368, 424, 425, 448–9, 472–3
Queensland, 380
in Flying fox, 380
Saint-Louis, 372
Sicily, 84, 85

Malaria—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Spain, 367
Sumatra, 87–8, 93
Switzerland (Davos), 87
Tonkin, 361
Trinidad and Tobago, 422
Turkestan, 87
Racial, 373, 376
Seasonal, 80, 82, 182, 286, 288, 364, 373, 411
Irrigation in relation to, 361, 377–8, 453
Larvicides and Larvicidal measures, *see* Fish, larvivorous, *supra, and under* Prophylaxis
Lynchia as vector (for Pigeons), 379
Midge infecting, Anopheles, 286
Mite infesting Anopheles, 287
Mortality from, in Italy, 364, 365
Mosquito-proof Dwellings and Mosquito Nets, value of, 368
Mosquitoes, *see also* Anopheles
Breeding-places, 361, 363, 366, 378, 420, 426
Destruction of, *see* Anti-malarial measures, Drainage, Fumigation, Larvicides, Oiling, *&c., under* Prophylaxis
Distribution, *see under* Anopheles, *supra, see also* Incidence, Geographical
Larvae, Where found close to Dwellings, 362
Parasites of, *see* Midge, *&* Mite
Varieties
Aedes calopus, synonym of *Stegomyia fasciata*, 362
A. trivittatus, 363
Psorophora (*Janthis onia*) *columbae*, 363
as Vectors, 89, 182, 183, 286–7, 448, 449
Neuritis, Malarial, Blood conditions in, 312; Quinine-cured, 372
Negro relative immunity to, 373
Ocular Paralysis in, 372
Oiling against, 417, 426
Parasites, *see also Plasmodia, infra*
Action on, of Quinine, 365
Agglutination tests for, 363
Development, on Bass's medium, 293
Pigment containing in young West African Monkeys, 95
Quinine-resistant strains, 376–7
in Bats, 379–80
in Man, effect on, of Quinine, 81
New form, in Blood of Pilgrims from Mecca, 88–9
in Mosquitoes, description of, 80
Petrolage and, 363

Malaria—*cont.*
Plasmodia of, *see also* Parasites, *supra*
in Birds, 378–9
Pigment-containing, in young West African Monkeys, 95
P. falciparum, 84, 87
Agglutination test for, 363
Associated with Ocular symptoms, 371
Crescents produced from, 86
P. malariae, 84, 87
P. pertenue, error as to nomenclature in Vol. 3, 95
P. pteropi, in Bats, 379
the same, n. sp., 380
P. tenue, name proposed for a new parasite, error *re*, corrected 95
P. vivax, 84, 87, 363
Stages in Migration of the Tertian, 85, 293
Physical features as conditioning, 183, 287
Prophylaxis (*see also* Drainage, Fish, larvivorous, *and* Quininisation), 361, 362, 363, 364, 368–9, 418, 419–20, 424–5, 448, 453
Bats as used in, 288
Fumigation with Pyrethrum, 81
Jungle clearing, 191
Larvicides
Crude Petroleum, 81
Darling's, 199, 200–1
Oiling and Petrolage, 363, 417, 426
Sulphate of Copper, 81
Experiments with, Panama, 81
Mosquito nets, 196–7
Precautions by Householders, 362
Quinine in (*see also under* Treatment, *infra*), 85, 86, 183, 185, 288, 364, 368, 371, 376, 417, 419, 424, 456
Koch's methods with, 90
Purity of Drug essential, 366
Religious objections to, in India, 451–2
Rice-field drying, 361
Screening of Houses, 81, 288, 425
Settlement and Cultivation, 368
Silting, 194–6
Tadpoles as Mosquito-destroyers, 420
Pseudo-relapse in, 377
Pyretophorus, see superpictus, under Anopheles, *supra*
Quinine and, *see also under* Prophylaxis, *and under* Treatment
Action of, on Malarial Blood Parasites, 365
Erratum, 380
Forms of, less costly, discussed, 364

Malaria—*cont.*
Quinine and—*cont.*
Quininisation in Italy, 304
Rainfall in relation to decrease in, 362, 366
References to Literature, xii–xv, xli–iv
Relapse in, after Tuberculin treatment, 87
Pseudo-relapse, 377
Rice fields of Madagascar in relation to, 361
School teaching on, 365, 369
Spleen-rates in
Algeria, 425
Bengal, 182–3
Burma, 286, 427
Ceylon, 419
Corsica, 288
Cyprus, 418
Madagascar, 361
Oued Rir, 287
Splenomegaly, when pathological, 366
Standing Water, in relation to, 362
Streams, Training of, in relation to, 300
Studies in relation to, Panama Canal Zone
Breeding and feeding Mosquitoes, 78, 79
Experiments and Investigations 79, 80
Chief transmitting Anophelines, 80
Estimation of Gametes in patients blood, 79
Experiments with
Larvicides, 81
Mosquitoes and Larvae, 78 *et sqq.*
Fumigation with Pyrethrum, 81
Latent Malaria among Spanish labourers, 81–2
Limits of Infectiousness of Man, 80
Malaria parasites in Mosquitoes described, 80
Quinine as affecting Parasite in Man, 81
Wire-screening: size of mesh and composition of wire, 81
Surgery in relation to, Precautions needed before, 367
Swamp-Treatment, 426
Symptoms, 88, 90, 92, 94, 289, 293, 370–1, 372
Cerebral, 372
Ocular, 371, 372
Rheumatic, 371
Urobilinuria, 370
Tadpoles as Mosquito destroyers, 420
Transmission by
Human carriers, 86, 183, 363, 364
Old cases, 364
Insects, *see* Anophelines, *&* Mosquitoes

Malaria—*cont.*
Treatment by
Antipyrin, 372
Arsalyt, 94, 292
Arsenic, 94
Aspirin (Hedonal), 371
Chinaethylin, 291
Chinidin or Conchinin, 291
Chinopropylin, 291
Calcium chloride, 371
Cinchonin, 291
Cuprein, 291
Electro- and Hydrotherapy, 94
Enemata, 372
Ethylhydrocuprein, 93
Hospital or Sanitarium, 94
Hydrochinidin, 291
Hydrochinchonin, 291
Hydrochloride of Quinine, 92
Hydroquinine, 92–3
Insipin, 376, 377
Iron, 94
Isoamylhydrocuprein, 9
Isopropylhydrocuprein ydrochloride, 93
Massage, 94
Methylene blue, 377
Neem bark with Quinine, 93
Neosalvarsan, 292
Potassium bromide, 372
Quinine, derivatives, and allied Alkaloids, variously administered, 83, 88, 92, 93, 94, 289–92, 370, 371, 372, 373, 484
Action of, on
Crescents, 86
Parasites in Man, 81
Administration
Intramuscular (and the risks in), 92, 93, 289–91, 292, 372, 373–6
Coma cured by, 92
Early, importance of, 370
with Neem bark, 93
with Salvarsan, 94, 377
Quinoform, 376
Tannate, 377
Quinine-carbamid dichloride, 373, 376
Salvarsan, 292, 377
with Quinine, 94, 377
Sodium bromide, 371
Tuberculin, 87
Warburg's Tincture, 95
in Tropics, Protection from, of Newcomers, 364
Urobilin in, When of use, 370
Urobilin Tests in, 376, 377
Urobin Tests in, 377
Wassermann Reaction in, 292
Water Supplies, Public, in relation to, 448
" Weeping soils " in relation to, 378

Malaria—*cont.*
Woodland and Afforestation in relation to, 365
Various Forms
Animal in
Bats
Africa, 379
Australia, 380
India, 379–81
Plasmodia associated with, 379–80
Birds, in Algeria, Experiments with, and parasites of, 378–9
Flying-foxes, in Queensland, 380
Monkeys, in West Africa, 95
in Man
Chronic, 94
Skin lesions in, 88
Congenital, 86
Epidemic, 419
Latent, Parasites of, Quinine Resistance of, Carter's hypothesis, 83
Seasonal Incidence and, in Italy, 364
in Spanish labourers, Panama, 81–2
Pernicious, 87
Quartan, 87
Rheumatic, 370–1
Subtertian, Parasites of, development of, on Bass's medium, 293
West African form of, 484
Vectors of, *see* Tertian and
Tertian, 87
Parasites of, habit of, 293
Spastic Paralysis in, 289
and Sub-tertian, Vectors of, 80, 82, 83, 84
Treatment by Hydroquinine, 92–3
Malignant, Gametes in, 856
Tropical: Causes, Braddock's belief, 89

Malta Fever, *see* **UNDULANT FEVER.**

MISCELLANEOUS (not including at this place such references under that head as are indexed elsewhere), 159–61, 357–8, 405–12, 529–42, *see also* Reports
Abderhalden's Reaction in Protozoal and Metazoal Infections, 358
Basis of, 358

Miscellaneous—*cont.*
Acari, Endoparasitic in Lung of Rhesus monkey, 532
Acclimatisation of White race in Tropics, 530
Adenomycosis cruzi, 540–1
Cultural characters, 540–1
Disease due to, 540–1
Endemic Adenomycosis in Brazil, Causal agent, 540–1
Aleppo Boil, as differentiated from Jericho Boil, 411
Anaemia
Four Classes of, 57
in Indian Troops at Singapore, 538
Treatment by
Arsenic, 538
Emetine, 538
Thymol, 538
Tropical, non-existent *per se*, 530
Animal Parasites, effect on, of Abderhalden's Dialysis reaction, 358
Antelopes, with Porocephalus larvae, 531
Asphyxia from Passage of Ascaris into Lung, Roumania, 534
Bacterium columbense, researches on, 409
Blood, influence on, of Tropical Residence, 529–30
Blood-examination in Tropical Diseases, 357, 358
Blood-morphology, 357
Arneth's formula, 357
Classification of Blood Diseases, Biological, 357
Elaboration of; Clinical Value and use as to Parasites, 357
Neutrophile Leucocytes, four Classes of, 357
Basophiles patches on protoplasm of, 357–8
Technique, 357
Bronchitis, Chronic, in Annam, new *Rhizopus*, in 532
Bubo, climatic, 161–3
Epidemic, Honduras, Symptoms and Treatment, 161
Etiology, 161
Incidence
Geographical
China (Pekin), 161
Honduras, 161
Sex, 161
Treatment by Salicylates, 181
Cerebro-Spinal Meningitis, in Java, 412
Chloroform preferred as Anaesthetic in Tropics, 541
Coastal Climate of Tropical Queensland, 529
Colon, Surgery of, 542
Convalescents in Togoland, Levico water for, 535

Miscellaneous—*cont.*
Creeping Disease in Roumania, 534
Dermatitis, Ulcerative, in Ceylon, 409
Endemic Paralytic Vertigo, *see* Kubisagari, *infra*

Entomological References
Culex fatigans, in Samoa, Diseases &c., spread by, 163
Day and Night risks from Mosquito-bites, 164
Diseases spread by Insects, Samoa, 163, 166
Finlaya Kochi Dönitz, Samoa, 163
Filaria bancrofti infection, from *C. fatigans*, Samoa, 163
Fleas found in Rat, and Dog, Samoa, 163
Glossina, Mosquitoes, &c., in B. W. Africa, 165–6
Mosquitoes of
British West Africa, 165–6
Samoa, 163
Musca domestica, Samoa, Diseases spread by, 163
Pyretophorus costalis larvae, action on of common Salt, 164
Rhipicephalus sanguineus on Dogs Samoa, 163
Jaundice transmitted by, S. Africa, and India, 163
Stegomyia fasciata, in
British West Africa, 165
Samoa, 163
Sumatra, 166
Larvae, Lagos, action on, of Common Salt, 164
S. pipersalata, Sumatra, 166
S. pseudoscutellaris, Samoa, 163
S. scutellaris, Sumatra, 166
Xenopsylla cheopis, on Rat, Samoa, 163

Entoplasmosis in a Burmese, 409
Franchini's Disease, *see* Adenomycosis, *supra*
Gangosa, in New Guinea, 408
in the Philippine Islands, 400
Goundou, at Dar-es-Salaam, 538–9
in New Guinea, 538
Treatment by
Fibrolysin, 538
Neosalvarsan, 538
Granuloma, Ulcerative, in New Guinea, 408
Treatment by Salvarsan, 535
Haemocystozoon brasiliense and Endemic Adenomycosis, 540
Heart Disease, in Java, 412
Incidence of Diseases, &c., referred to
Africa, South, 163
America, Central and South, 164
U.S.A., 406, 407
Annam, 532

Miscellaneous—*cont.*
Incidence of Diseases—*cont.*
Australia
Northern Territory, 529
Queensland, 529
Brazil, 356, 541
British Columbia, 407, 536–7
Burma, 409
Cape Colony, 407
Ceylon, 409–10
Congo
Belgian, 531
French, 410
Dar-es-Salaam, 538
Franco-Swiss frontier, 539
Guam, 408
India, 163, 412
Indo-China, 536
Italy, 537
Japan, 539
Java, 412
Malaya, 407
Singapore, 538
Murray Island, 408
New Guinea, 407–8, 538
Ouadai, 536
Palestine, 410–11
Philippines, 408, 530
Rhodesia, Southern, 411
Roumania, 534
Samoa, 163
South Sea Islands, 408
Togoland, 535
Torres Straits Islands, 408
Jaundice, vector of, in India and S. Africa, 163
Jericho Boil, in Palestine, 410, 411
Kubisagari Disease, bacteriology, etc., of, 539
Leucocytes, Neutrophile Polymorphonuclear
Basophile patches in, 357–8
Classification of, 357
Likoutombo, of Middle Congo, 410
Malarial and other Blood parasites, Quick Staining Method for, 405
Meningitis at Dar-es-Salaam, 538
Morbidity and Mortality of Natives employed in Mines, S. Africa, 411–2
Myelitis, Acute disseminated, following Scorpion-bite, 407
Pallor, Tropical, causes, 530
Paralysis and Tick-bite, in British Columbia, 536–7
Parasitological notes, 534
Peritonitis, in Java, 412
Pneumonia, in Natives of Southern Rhodesia, at home, 411–2
Organism from, resembling Pneumococcus, 411
Croupous, in Java, 412
Pneumotuber macaci, Morphology of, 532

Miscellaneous—*cont.*
Porocephalus
P. armillatus, 531
P. clavatus, larval forms of, development of, 532
P. moniliformis, in the Tropics, 531
in Animals, 531
in Man, 531
Pythons, with Porocephali, 531
References to Literature, xxiv–vii, lv *et sqq.*
Rhizopus genus, Pathogenic species in, 532
R. cohni, 532
R. equinus, 532
R. niger, 532
Scorpion-sting, Death from, Malay States, 407
Scurvy, search for Prophylactic for, 409
Septicaemia, in Java, 412
Skin Diseases in Ceylon, 409–10
Spleen maladies, interconnection of, and Operation for, 542
Staining methods, 358
Paraffin oil as Medium for Mounting Romanowsky Preparations and for Prevention of Fading, 405–6
Quick Romanowsky, for Dried Smears, 405
Sterilisation, in Hypodermic Injections, Chloroform for, 542
Stomatitis, Ulcerative, in Palestine, 410, 411
Sunlight Intensity, Queensland, 529
Surgery in the Tropics, 541–2
Tick Fever, in East Africa Protectorate, 176
Notifiable in Gambia, 455
Tick Paralysis in Man and Animals, 407
Incidence
British Columbia, 536–7
Cape Colony, 407
North America, 407
Ticks acting as Vectors
Dermacentor venustus, 407
Ixodes pilosus, 407
Tinea imbricata in New Guinea, 408
Treponema in Gangosa, Affinities of, 408
Trichorrhexis nodosa, Roumania, 534
Tropical Diseases, treatment of, 534
Residence as affecting
Blood, 529–30
Working Powers &c., of White Men, 529–30
Tropics
Porocephalus moniliformis in, in Animals and Man, 531
Surgery in, 541–2
Tumours, in Java, 412
Ulcerated and Swollen Gums in Indian Troops, 412

Miscellaneous—*cont.*
Vaccinations, combined, 533
Vibrio Kegallensis, researches on, 409
Working Powers of White Men, in Tropics, 529
Yellow Disease, in Ceylon, 409–10
Treatment by
Change of air, 410
Formalin Spirit lotion, 410

Myiasis, references to Literature, xx, xliv

Oroya Fever, *see* **Veruga Peruviana and**

PAPPATACI FEVER, DENGUE, and UNCLASSED FEVERS, 45–9
Culex fatigans in relation to, 48
Experimental, from Yellow-fever Infected *Stegomyia* bites, 47
Incidence of, or of fever resembling in Children with Cystitis, 49
Geographical
Aden, 483
Annam, 48
Asia Minor, 45
Corsica, 479, 482
Europe, 479
Far East, 45
German East Africa, 45
Greece, 45
India, 45, 47, 479
Italy, 47
Libya, 49
New Guinea, 48
Nigeria, Southern, 45
Sicily, 45–6, 47
South America, 479
Switzerland, 479
Seasonal, 479, 482
on Shipboard, 48
Insect vectors, 45, 46, 47, 48, 479, 480, 482, 483
Phlebotomus flies as vectors, 45, 46, 479, 480, 482, 483
African, new species, 480
Egyptian, breeding places of, 46
European, names and distribution of, 480
Malayan, new species, 480
P. bedfordi, n. sp., 480
P. ingrami, n. sp., 480
P. legeri, 479, 480
New species, 482
P. major, vel *perniciosus*, 479, 480
P. minutus, 480
Distribution, 46, 483
Indian, associated with Gecko, 46
var. *africanus*, distribution, 46
P. nigerrimus, 480

Pappataci Fever—*cont.*
Phlebotomus Flies—*cont.*
P. papatasii, 482
Distribution, 483
P. simillimus, n. sp., 480
P. stantoni, n. sp., 480
Prophylaxis, 46
References to Literature, xv, xliv
Reptiles attacked by Phlebotomus flies, 46
Sand flies, *see Phlebotomus* spp., *supra*
Stegomyia bites as cause of Experimental, 47
Symptoms, 45, 47, 48, 49, 479
Transmission by Insects, 45, 46, 47, 48, 479, 480, 482, 483
Treatment of, 534, by
Anti-Typhoid Vaccination, 49
Formalin as Insecticide, 479
Quinine and derivatives, 45, 47

PLAGUE, 13–29, 429–33
Annual recurrence, India, 13–14
Anti-plague inoculation, Uganda, 413, 415
Bacteria associated with
B. pestis, 20, 23
in Cat with Plague, 23
Present without clinical symptoms, 21
from Rats with, 25
in Septicaemic form of, 18
Blood culture in, Diagnostic value of, 23
Cat with, *B. pestis* found in, 23
Ceratophyllus fasciatus, biology of, 29
Flea-counts, India, 29, 205
Control of outbreaks, 20
Deaths from, defective Registration of, 14–15
Diagnosis of, by Blood-culture, 23
Filariasis mistaken for, 130
Epidemiology, 432–3
Fleas in relation to (*see also* Rat Fleas, *and under* Transmission), 207
Laboratory Epidemic spread by, 23
Rat, Smoking-out for, new method (*Lane's*), 431
Seasonal prevalence of, Madras, 17
Hydrocyanic acid as Rat fumigator, 17
Incidence
Climatic, 16–17
Geographical
America, U.S. (New Orleans), 21
Annam, 19
Argentina, 13
British Isles (Liverpool), 21

Plague—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Canary Islands, 13, 21
Ceylon, 18, 202–3, 432–3
China, 19, 25
Cochin China, 18, 20
East African Protectorate, 176
Hawaii, 177
India, 13 *et sqq.*, 24, 25, 177, 205 *et sqq.*, 431
Indo-China, 536
Java, 25, 27
Japan, 431
Mesopotamia, 177
Mombasa, 202
New Caledonia, 19–20
Philippine Islands, 21, 23, 177–8
Porto Rico, 20
Trinidad and Tobago, 422
Uganda, 413, 414
Zanzibar, 415, 416
Seasonal, 13–16, 20
Inoculation Experiments on Rats, absence of following "Negative Phase," 22
Laboratory epidemic spread by Fleas, 23
Outbreaks in 1911–12, 13
Prophylaxis, 14, 20, 24, 25, 178, 206, 208, 414, 429–33
Madras System, 206 *et sqq.*
Passports, 206, 207, 208
Rat-destruction, 14, 20, 24, 25, 178, 205, 207, 429 *et sqq.*
Fumigation for, 25, 178, 179, 205, 431, 433
Lane's new method, 431
Methods of, Zanzibar, 416
Punjab Smoke Stove, 208
Rewards for, 430–1
Rat-proofing, 24, 203–5
Segregation, weaknesses in, 206–7
Rat-destruction, *see under* Prophylaxis
Rat-fleas, *see also Ceratophyllus, and Xenopsylla*, Fleas, *and under* Transmission
Different kinds, separate, in close neighbourhood, 205
of *M. rattus* in N. India, 29
Rat-free houses equivalent to Plague-free, 25
Rats in relation to, *see also under* Prophylaxis, Rat Plague, *and* Transmission
Control of Rats
Japanese Method, 431
Marshall's method, 431
Fleas of *M. rattus*, proportions of, at different seasons, 29
Inoculation experiments on, 22
Sulphuric Acid and Tar as used against Rats, 431–2

Plague—*cont.*
Rats in relation to—*cont.*
Swimming and other powers of evasion, 203–5
Varieties found in Java, 27–9
References to Literature, xvii–xviii, xlvi–vii
Staffing-problem, and, 208
Sulphur Fumigation for Rat Destruction, 25, 178
Symptoms, 18, 19
Tar, as used against Rats, 431–2
Transmission by
Bed bugs (possible), 178
Grain trade, 17–18, 207
Rat and other fleas, 14, 17, 18, 23, 25, 26, 29, 205, 207
Rats, 14, 17, 18, 24, 25, 177, 429–33
Differentiation of Species found in Java, with reference to, 27–9, *ill.*, 28
Treatment of, 534, by
Serum, 19
Vaccine, 21–2, 25
Haffkine's, 19
Xenopsylla cheopis as vector, 26
Flea-counts, India, 29, 205

Various Forms, *see* Bubonic, Peculiar, Pneumonic, Rat, Septicaemic, Subacute

Bubonic, 21
Incidence
Geographical
Ceylon, 432
Cochin China, 19
New Caledonia, 19–20
Seasonal, 20
Transmission by Fleas (bites), 24
Treatment by Glycerinated Vaccine, 21–2

Peculiar Form, in New Caledonia, 20

Pneumonic, Cervical buboes in, 177

Rat
B. pestis in, mode of isolating, 26
Incidence
Ceylon, 203, 433
Cochin China, 18
Hawaii, 177
Holland (imported), 25, 26
India, 14, 18, 177
Mesopotamia, 177
Mombasa, 202
Montevideo (presumable), 25
New Caledonia, 19
Philippine Islands, 178
Trinidad and Tobago, 422, 430
West Africa, 422, 430
Zanzibar (town), 415, 416, 430

Plague—*cont.*
VARIOUS FORMS—*cont.*
RAT—*cont.*
and Plague in Man, relation between, 207, 416 *et alibi*
Sex-proportions of Rats examined, 430
Smoking-out, as Prophylactic measure, 22, 178, 179, 433
New agent for, 431

SEPTICAEMIC
Incidence
Ceylon, 18, 432–3
Cochin China, 18, 19
Symptoms, 18
Treatment by Glycerinated Vaccine, 22

SUBACUTE, Experimental, in Rats, &c., 25, 26

PELLAGRA, 274–85, 443–5
Absent from Canary Islands, 278
Alleged case, Bacteria in Urine in, 282
Blood conditions in, in
Negresses, U.S.A., 285
Pellagrin maize-eaters, 283
Causation Theories, 277, 278, 281, 282
Vitamine deficiency views, 276
Change of abode and, 278–9
Clinical observations on, 283
Diet in relation to, 274 *et sqq. passim*, 443, 444
Dietary origin of, 443
Etiology, 276, 284, 444
Experimental, 283, 284
Symptoms, 284
Fish diet and, 444
Incidence
Age, Race, and Condition
Children, 278
Lunatics, 277 (cf. 279), 281, 282
Negroes, 285
Prison population, 444
Geographical
America, U.S., 443
Louisiana, 277
Michigan, 280
North Carolina, 274
Southern States, 276
Texas, 281
Virginia, 285
Austria (S. Tyrol), 275
Barbados, 274
British Isles, 275, 282
England (London), 282
Ireland, 282
Scotland, 282

Pellagra—*cont.*
Incidence—*cont.*
Geographical—*cont.*
France, 275
Hungary, 280
Italy, 278, 283
Nyasaland, 444
Robben Island, 277
South Africa, 277
Zanzibar, 445
Infantile, Breast-feeding and, 279
Insect vectors, 444
Maize diet in relation to, 274 *et sqq.*, *passim*
Maize protein intoxication and Zeinolytic ferments in pellagrin blood, 283
Nomenclature, 281
Probable identity with Sprue, 280
Prophylaxis, 275, 276, 443–5
References to Literature, xvi–xvii, xliv–vi
Report of Thomson-McFadden Commission, 276
Rice in relation to, 444
Sewage disposal in relation to, 274, 276
Simuliidae as vectors of, 274, 275, 444
Not found at Zanzibar, 445
Skin lesions in, 279, 280
Stomach conditions in, 279, 280
Strepto-bacillus of, 284
Symptoms, 277, 278, 279, 280, 282, 283, 444
Digestive, 279
Mental, 277, 279, 280, 281
Tongue in, 279, 280
Transmission by
Contagion, 274
Excreta, 274, 276
Infection, 274
Insects
Ceratopogoninae, 275
Chironomidae, 275
Simuliidae, 274, 275, 444
Stomoxys, 274, 277
S. calcitrans, 274
Treatment by
Bismuth, 280
Calcium Salts, 281
Darkness, 280, 281
Diet, *passim*
Excessive feeding, 443
Fruit juices, 281
Gelatine, 281
Hydrochloric acid, 280, 281
Normal Saline irrigation, 281
Pepsin, 280
Quinine hydrobromate, 281
Rest, 280, 281
Salol, 280
Sodium cacodylate, 281
Vitamines in relation to, 276, 443

Polyneuritis Gallinarum, *see* **BERI-BERI.**

PROTOZOOLOGY (excluding Amoebae, and most Trypanosomes), 381–91
Achromaticus vesperuginis in Bats, 382
Actinocephalus parvus in gut of Larval Fleas.
Adder (*Boodon fuliginosus*)
Ecto-parasites of, 389
Haemogregarine in, *H. boodoni*, n. sp., 388–9
Nematodes in, 389
Anopheles maculipennis, flagellates of, 381
Aponema laeve, on Adder, 389
Bats, Blood Parasites found in, 382, 383
Birds, Blood Parasites in, 382, 383, 384, 385, 388
Leucocytozoa, Classification of, 387–8
Sarcosporidia, new, in, 389, 390
Blood Parasites of
Invertebrates, Experimental Infection by, of Mammals, 381–2
Mammals, Birds and Fishes in England, 382–3
Stone Owl, 388
Bodo, or Monas, in Lizard, 383
Chromidia, in Haemogregarines of Crocodiles, 386
Coccidium (Sporozoon), believed n. sp., in Mole (*Talpa europaea*), 386–7
Countries from which Observations are noted
Austria, 385
England, 382
French West Africa, 386, 388
Haut-Sénégal et Niger, 384
Japan, 383
South America, 389
Sudan, 388
Cow, *Piroplasma divergens* in, 383
Trypanosome in (in case of Red-water fever), 382
Crithidia
C. fasciculata infection, in Mouse, Leishmaniform parasites found in, 381–2
C. melophagia, 381
Crocodiles, Haemogregarines of, French W. Africa, 385, 386
Crows, Blood parasites in, Japan, 383
Culex pipiens, Development in, of the Blood parasites of the Little Owl, 385
Cultural experiments with *L. ziemanni*, Oökinetes arising from, 388

Protozoology—*cont.*
Culture of Parasites in Blood of Mammals infected with Flagellates from Invertebrates, 382
Dogs, Experiments in Infection of, by *Herpetomonas ctenocephali*, 381
Ecto-parasites of African Adder, 389
Eels, Trypanosome in, 382
Eimeria stiedae, Oocysts of, parasite resembling in Mole, 387
Elleipsisoma, in Moles, 383
Fish, Blood parasites in, 382–3, 386
Flagellates of Invertebrates, Infection by (experimental), of Mammals, 381–2
"Resting" of the Little Owl, Development of, in Mosquitoes, 385
Fleas, Animal and Bird, Parasites of, 269
Rat, Transmission experiments with, Infected by *Herp. pattoni*, 381
Frog, S. America, *Lankesterella leptodactyli* in, 389
Grahamella, in Moles, and other animals, 383
Haemamoebae, in Bats, 382
H. majoris, black pigment granules in, 387
Haemogregarines considered as true Coccidia, 386
in Fish, 382–3, 386
in Reptiles, 385–6, 388–9
in Rodents, 383
H. boodoni, n. sp., in African Adder, 388–9
H. iguanae, 389
H. microti, in Voles, 383
H. muris in Rats, 383
H. sciuri, 383
H. sylvatici in Field Mice, 383
H. varani Lav., one identified with, in French West Africa, 385
Lankesterella leptodactyli of S. American Frog, 389
Haemosporidian, new, in Sparrows, Japan, 383, 384
Halteridia (Haemoproteus *q.v.*) in Birds, age in relation to number of, 383
Halteridium n. sp., in Birds, Japan, 383
H. noctuae, in Birds, Japan, 383
Development of Oökinetes of, in *Culex pipiens*, 385
Herpetomonads
H. ctenocephali, inoculation experiments with, on animals 381
H. pattoni, experimental infection by, of animals, 381

Protozoology—*cont.*
Iguanas, *Haemogreg. iguanae* in, 389
Infections (experimental) of Mammals by Flagellates of the Invertebrates, 381–2
Legerella parva, in Bird-fleas, 269
Leishmania
of Vertebrates, origin: theory on, 382
L. donovani, Haemosporidian, n. sp., resembling, 383
Leishmaniform Parasites in Mice infected with *Crithidia fasciculata*, 381–2
Leptomonas ctenocephali, in Dog-flea larvæ, 269
Leucocytozoa of Birds, 383, 387–8
Classification of, 387–8
Leucocytozoon of *Parus major*, Pigmented character of, 388
L. lovati, schizogony in, 387
L. ziemanni, Development of, in *Culex pipiens*, 385
Nomenclature of, 387, 388
Schizogony in, 387, 388
of Stone Owl, and its Trypanosome, 388
Little Owl, Blood parasites of, development of in *Culex pipiens*, 385
L. ziemanni of, nomenclature of, 387
Lizard, Bodo or Monas in, 383
Trypanosoma boueti (variety of), in, 386
Malpighiella refringens, in Dog-fleas, 269
Mammals, Infection of (experimental), by Flagellates of Invertebrates, 381–2
Microfilariae in
Bats, 383
Birds, 383
Microparasites of the Mole, 386–7
Mites, Gamasid, on an Adder, 389
Moles, Blood Parasites in, 382, 383
Micro-parasites of, 386
Monkeys, Experimental Infection of, by *Herpetomonas pattoni* 381
Mosquitoes, *see also Culex pipiens*
Development in, of "Resting" Flagellates of the Little Owl, 385
Mouse, *Sarcocystis muris* in, 389–90
Nematodes, in African Adder, 389
Nosema pulicis, in Dog-fleas, 269
Ophionyssus natricis, on Adder, 389
Owl, *see* Little Owl, *and* Stone Owl
Piroplasma
Nuttallia muris in Mice, 383
N. microti, in Water Voles, 383
P. divergens in Cow, 383
Plasmodium mesnili Bouet, in Spitting Serpent, French West Africa, 386

Protozoology—*cont.*
Pneumocystis carinii, in Rat, 382
Proteosoma in Sparrows, Japan, 383, 384
Rabbits, Blood-parasites in, 382, 389–90
Redstart, *Sarcocystis setophagae*, n. sp. in, 390
References to Literature, xxviii–ix, lviii
Reptiles, Haemogregarines of
French West Africa, 385–6
South America, 389
Sudan, 388–9
Rodents, Experimental Infection of, with *Herpetomonas pattoni*, 381
Leishmaniform parasites in one infected with *Crithidia fasciculata*, 381–2
Trypanosoma lewisi in, 382
Sarcosporidia, Spores of, researches on, 390
New in Mouse, Rabbit, Redstarts, 389–90
Sarcocystis leporum, 389–90
S. muris, 389–90
Schizogony in, 391
S. rileyi, of Ducks, one resembling, 390
S. setophagae, 390
Sparrows, Blood-parasites in, Japan, 383–4
Spirochaeta
S. vesperuginis, n. sp. ?, in Bats, 382
Spitting Serpent, *Plasmodium mesnili* Bouet, in, French West Africa, 386
Sporozoon in Mole (*Talpa europoea*), 386–7
Squirrels, Blood-parasites in, probably n. sp.
Haemogreg. sciuri, 383
Toxop. sciuri, 383
Stone Owl, Blood-parasites of
Leucocytozoon ziemanni, Schizogony in, 388
Trypanosome, 388
Tick, Ixodid, on Adder, 389
Tilapia lata, fish, in the Niger, Blood-parasites of, 386
Toxoplasma
T. sciuri, in Squirrels, probably n. sp., 383
Trypanosomes in
Bats, 382
Birds, 382, 383, 384, 388
Cow, with Redwater fever, 382
Fish, 386
Lizard, 386
Vertebrates, Origin of: Theory on, 382
T. avium majus, one like in Birds, Japan, 383

Protozoology—*cont.*
Trypanosomes in—*cont.*
T. boueti (variety of), in Lizards, 386
T. calmetti (?), in *Ardea atricapilla*, 384
T. cuniculi, in Rabbits, 382
T. fringillarum, Cultural Development of compared with that of *T. noctuae*, 385
T. granulosum, in Eels, 382
T. lagonostictae, in *Lagonisticta minima*, 384
T. leucisci, in Roach, 382
T. lewisi in Rats, 382
and *T. longocaudense*, 382
T. noctuae, Development of, in *Culex pipiens*, 385
T. percae, in Perch, 382
T. remaki, in Pike, 382
T. talpae, long and short forms of, in Moles, 382
Varanus niloticus, Haemogregarines of, F. W. Africa, 385
Vertebrates, Origin of the Leishmania and Trypanosomes of: theory on, 382
Voles, Field and Water, Blood-parasites in, 383

RAT BITE DISEASE, or FEVER, 162–3
from Bites of other animals than rats, 162, 537
Etiology, 162–3
in Italy, 537
Streptothrix taraxeri cepapi, from lesions in Squirrel bite, 162
Symptoms, 162, 163, 537
Treatment by
Electrargol, 537
Mercury Inunction, 537
Neosalvarsan, 162

RELAPSING FEVER, *and* **SPIROCHAETOSIS**, 237–52
Agglutinating properties of Sera of Infected persons or animals, 247
Argas persicus as vector, Chromatic Granules in, 248
Bed-bugs as vectors, 241, 242
Blood conditions and changes in, 239, 240, 241
Blood of patients in Apyretic periods
Infectivity tests, 244–5
Spirillicidal and Agglutinating properties in Serum of, 247
Climatic conditions as affecting Spirochaete development, 249 *&n.*

Relapsing Fever—*cont.*
Diagnosis by Serum Reaction, 247
Epidemics, accompanying Typhus outbreaks: reason, 239
Granules found in Ticks in, and in Fowl Spirochaetosis (*q.v.*), 248, 249
Hyalomma aegyptium, Granules in eggs of, 249
Immunity after, 247, 248
Incidence
Geographical
Africa, North (*see also* Algeria, *&* Tunis), 238, 239, 240, 243, 244, 247
Algeria, 238, 239, 240
America, North
New York, 242
South (Colombia), 242
China, 241
German East Africa (Usambara), 243
Greece, 237
India, 246
Indo-China, 536
Manchuria, North, 241
Morocco, 239
Panama Canal Zone, 242
Tonkin, 241, 242–3
Tunis, 238
Turkey, 237
Racial, 239, 242, 244
Seasonal, 241
Infection (*see also* Transmission), through
Mucous membranes, 240
Skin, 240, 246
Insect vectors, *see* Bed-bugs, Lice, Ticks
Jaundice associated with, 238
Latent periods, experiments on, 244–5
Lice as vectors, 237, 239, 246
Experiments on Infectivity of, 244–5
Mortality reduction, by Salvarsan, 242, 243
Ornithodorus moubata, Granule clumps and Chromatic granules in, 248–9
O. Savignyi, Granula clumps in, 248
O. talage, as vector, 242
O. turicata, as vector, 242
Prophylaxis, 241
References to Literature, xviii, xlvii–viii
Re-infection after, 247, 248
Serum agglutination in, in Diagnosis, 247
Spirillicidal properties of Sera of Infected persons or animals, 247
Spirochaetes in, in
Blood, 238
Cerebrospinal Fluid, 240

Relapsing Fever—*cont.*
Spirochaetes in—*cont.*
Sweat, 240
Tears, 240
Action on, of Serum from Infected Mammals, 247
Morphological changes in, in body of Louse, 245–6
Passage of, through Skin, 240
Sp. berbera, experiments on, with Animals, 248
in North Africa, 239, 240, 244–5
Sp. duttoni, granule clumps in Ticks with, 248, 249
Sp. novyi, in Panama region, 242
Sp. recurrentis, in China, 241
Symptoms
Meningeal, 237–9
Nervous, 238
Urobilinuria, 237, 238
Ticks as vectors, 248–9
with *Spirochaeta duttoni* infection, Chromatic granules in, 248–9
Transmission
Experimental by Lice, 244
Natural, by
Bed-bugs, 241, 242
Carriers and Contacts, 237, 239, 242
Lice, 237, 239, 241, 244, 245–6
Treatment by
Arrhenal, 241
Arsenic, Organic Compounds of, 239
Galyl, 240
Lumbar Puncture, 238, 239
Neosalvarsan (*see also* Olarsol), 239, 240, 241, 244, 247
Olarsol, 243, 244
Salvarsan, 242, 535
Variously administered, 242–3
Tribondeau method of Staining Cerebrospinal fluid, 240
Urobilin content in Liver in, 237

Avian, *see* Spirochaetosis, Avian, *infra*

Experimental
in Animals and Birds, with *Sp. berbera*, 248
Human, Attempted, 238
in Monkeys, relapses in, 245
in Rabbits, 239–40

Meningeal, 237–9

Spirochaetosis
Avian
Argas persicus in relation to, 249
Experimental at Hamburg, in Canaries, 250

Relapsing Fever—*cont.*
Spirochaetosis—*cont.*
Avian—*cont.*
Incidence
Lagos district, 250
Sudan, 249
Intracorpuscular bodies in, 249
Spirochaete of, Biology of, 249
Symptoms, 250–1
Human
Bronchial
Incidence
Ceylon, 252
Gold Coast, 252
Philippine Islands, 252
Sudan, 252
Uganda, 251–2, 414
West Indies, 252
Symptoms, 251–2

REPORTS, ANNUAL and other, 169–79, 406, 407, 409–10, 411, 413 *et sqq.*
Algeria, Anti-malaria Campaign, (1913), 425–6
Bahamas, of M.O.H. (1913), 420–1
Bombay, on Malaria (n.d.), 451
British Guiana, on Tuberculosis, 423
Burma, Sanitary Commissioner's (1912), 427
Ceylon, Clinic for Tropical Diseases and Bacteriological Institute (1914), 409–10, 533
M. O. H. for Colombo (Jy.–Sep., 1914), 432
Congo, French (1912), 410
Cyprus, of M.O.H. (1913), 418–9
on Disease Prevention, *see* Disease Prevention, 180 *et sqq.*
East Africa Protectorate (1912), 175
Egypt, White Book No. 1 (1914), 452–3
Fry's First, on Malaria in Bengal, 448
Gambia Colony, Medical Department (1913), on Duration of Vitality of Preserved Lymph, 438
India, Education Department, on Sanitary Circumstances of India (1914), 450–1
Isthmian Canal Commission on Mosquitoes, (1913), 448, 449
Jamaica, Tropical Diseases Research Fund (1913), 445
Leper Asylum, Caucasus (1898 to 1913), 507–9
Madras Sanitary Commissioner's (1912), 169, 447–8
North Carolina, on Malaria (1913), 424
Nigeria, Northern (1913), 172
Yellow fever precautions suggested, 175

Reports, Annual—*cont.*
Nyasaland, Annual Medical (1913), 417–8, 442, 445
Panama Canal Sanitation Department (1913), 425
Papua Annual Report (1912–3), 407
Philippine Islands Bureau of Health (1913), 434–5
the same, on Inoculation of Monkeys with Variola Pox (1913), 436
Tropical Diseases (Quarterly), (Mar., 1914), 408–9
Rhodesia, Southern, on Pneumonia in Natives in Tropical Habitat. (1914), 411–2
St. Kitts-Nevis and Anguilla on Sanitary Conditions in (1913), 422–3
Trinidad and Tobago Medical Department (1912–3), 421–2
Uganda, Medical and Sanitary (1913) on Diseases, 413, 414
the same, on Conservancy, 458, 463
United States, Public Health Service (1913), 176, 406, 424, 463, 464
Tropical Diseases Research Fund (1913), 178–9
Zanzibar, Medical and Sanitary (1913), 426
Public Health (1913), 415 7
on Vaccination, 437–8

REVIEWS OF BOOKS (*see also* **REPORTS**), 52–60, 112–6, 166–8, 233–6, 296, 359–60, 477–8
Atlas tropischer Darmkrankheiten (Baermann & Eckersdorff), 59
Bacteriological Examination of Food and Water (Savage), 235–6
Chemical Examination, The, of Water, Sewage, Foods, and other Substances (Purvis & Hodgson), 477
Flies in relation to Disease. Non-Bloodsucking Flies, 2nd ed. (Graham-Smith), 359
Immunität bei Protozoeninfektionen (Schilling), 52–8
Intoxikationskrankheiten. 2. Vergiftung durch tierische Gifte (Calmette & Bruyant), 58-9
Nerven- und Geisteskrankheiten in den Tropen, 2nd ed. (Van Brero), 112

Reviews of Books—*cont.*
Practical Handbook of the Tropical Diseases of Asia and Africa (Lambart), 296
Practical Tropical Sanitation: a Manual for Sanitary Inspectors and others interested in the Prevention of Diseases in Tropical and Sub-Tropical Countries (Muirhead), 477
Sanitation in India (Turner), 233–5
Some Minute Animal Parasites, or Unseen Foes in the Animal World (Fantham & Porter) 52; Correspondence, 166–8
Tropical Diseases. A Manual of the Diseases of Warm Climates, 5th ed. (Manson), 59–60
Correspondence on
Dr. Seidelin's Report on Vomiting Sickness, and the same Author's Bodies in relation to Yellow Fever, 360
Letter from Dr. Lesk, on Review of his paper on Complications of Amoebic Dysentery, 236

ROCKY MOUNTAIN SPOTTED FEVER, 406–7
Experimental, Inoculation with, of Woodchucks and other animals, 406–7
Incidence in Sheep, in
North America
Bitter Root Valley, 406
Idaho, 406
Squirrel immunity to, 406
Ticks as Vectors, 406–7
Dermacentor
D. andersoni, 406
D. modestus, 406

Sanitation, *see* **HYGIENE, APPLIED in the TROPICS**

Sanitary Legislation, *see under* **HYGIENE, APPLIED, in the TROPICS**

SKIN DISEASES, TROPICAL (*see also* **Granuloma, LEPROSY, MISCELLANEOUS, KALA AZAR, Tropical Sore**), 30–44
Acanthosis nigricans, in Madagascar, 41
Ainhum, lesions of, 39–40
Albinism, *see* Pigmentation and, *infra*

Skin Diseases, Tropical—*cont.*
Craw-Craw ; Clinical aspect : Locale : Treatment by Hectine and Pot. permang., 39
Creeping disease, in Russia ; Causal Parasites : Treatment, 39
Cutaneous affections, New Guinea, 408
Dermatitis Venenata, from contact with Rungus tree, B.N. Borneo, 35
Dermatomycoses of Brazil, 34
Dhobie Itch, *see* Tinea Cruris, *infra*
Eczema, from contact with Lacquer tree, Annam ; Treatment, 36
Marginatum of toes &c., Causal fungus, 33
Treatment by Chrysarobin ointment, 33
Gangosa, *see, infra,* Nasopharyngitis mutilans
Impetigo Tropica, Cause : Incidence : Location : Treatment, 40–1
Murmekiasmosis Amphilaphes, Cryptococci present in, 40
Mycetoma, Parasites of, 34–5
Treatment by
Chloride-free diet, 35
Potassium Iodide, 34–5
Thermo-cautery, 35
Naso-pharyngitis mutilans or Gangosa, East Indies, 42–3
Phagedenic Tropical Ulcer
Bacteriology of, question of Priority of Discovery, 36, 37
Experimental inoculations with, 36–7
Form of, exclusively found in Old Men : Treatment, 38
Incidence
China (Swatow), 38
Congo, 36–7
French Guiana, 37
Indo-China, 38
Pathology, 38
Treatment by
Hydrogen peroxide, 38
Permanganates, 38
X-rays, 38
Pigmentation and Albinism in Nyasaland natives, 43–4
Pseudo-molluscum, Causal fungus of, 35
References to Literature, xviii–xix, xlviii–ix
Ringworm in Man
Fungi associated with, 31, 32, 34
Incidence
Australia (Queensland), 31
Brazil, 34
Syphilitic and other forms, met with in Tripoli, 44
Tinea cruris, Causal fungus, experiments with, 33

Skin Diseases, Tropical—*cont.*
Tinea Imbricata, Causal fungi, 33
in China, 33
Clinical features, 33
Treatment by
Chrysarobin ointment, 33
Iodine Liniment, 34
Resorcin-benzoin tincture, 34
Tinea Intersecta, causal fungus, 33
Toes, Eczema marginatum of ; Causal Fungus ; treatment of, by Chrysarobin ointment, 33
Trichonocardiasis
Incidence
Anglo-Egyptian Sudan, 30
Gold Coast, 30
New Orleans, 31
Parasites associated with, 30
Three varieties, 30
Transmission, 30
Treatment
Formalin lotion, 30
Iodine, Tincture, 30
Sulphur ointment, 30
Tricophyton Soudanense, n. sp., in Upper Guinea, differentiation of, from others, 32
Uta, in Peru, 41
Vaccine Lichen in Sudanese, 41–2

Parasites, Fungi, &c., associated with the Diseases referred to
Bacilli, Fusiform and Spirilla in association, and Phagedenic Tropical Ulcer, 36–7
Coccus, anaerobic in Phagedenic Tropical ulcer, 38
Cryptococci, and Murmekiasmosis, 40
Endodermophyton castellanii causing Tinea intersecta, 33
E. concentricum, causing Tinea imbricata, 33
E. indicum, causing the same, 33
E. inguinale, and Eczema of Toes &c., 32
E. rubrum, and Tinea cruris, 33
Fungus causing Pseudo-molluscum, 35
Gastrophilus larvae in "Creeping disease," 39
Hypoderma larvae in "Creeping disease," 39
Madurella
M. mycetomi, 35
M. tozeuri, 34
Micrococci associated with Trichonocardiasis
M. castellani, 30
M. nigrescens, 30
Nocardia tenuis, 30, 31

Skin Diseases, Tropical—*cont.*
PARASITES FUNGI, &c.—*cont.*
Microsporon fulvum, 31
M. scorteum, and human Ringworm, 31, 32
Oestromyia larvae in "Creeping disease," 39
Pediculis capitis in Tripoli, 44
P. pubis, 44
P. vestimenti, 44
Rhabditis Niellyi embryos, and Craw-Craw, 39
Spirochaeta
S. schaudinni and Phagedenic ulcer, 36
Staphylococcus, and Impetigo tropica, 40
Tricophyton
T. griseum, n. sp., and Ringworm, 34
T. soudanense, n. sp., points of difference from others, 32
Trees causing Skin affections
Lacquer (*Rhus succedanea*), 36
Rungus, 35
References to Literature, xviii–xix
Treatment by Salvarsan, Intravenous administration preferred in, 535

SLEEPING SICKNESS (and other Trypanosomiases), 61–77, 253–73, 338–56, 500–6
Acanthia lectularia, development in, of *Schiz. cruzi*, 268
Antelope (*see also* Game), Mpala, and *G. morsitans*, 75
Arthopods, development in, of *Schiz. cruzi*, 268
Atoxyl, *see also under* Treatment
Transformed, Variations in Toxicity caused by
Heat, 76
Number of Trypanosomes, 76, 77
Atoxyl-resistant Trypanosomes, 252, 264
Bird-enemies of *G. morsitans*, in Nyasaland, 75
Birds of Brazil, Trypanosomes of, 272
Biting-Flies as vectors, 257
Bugs as vectors of *T. vespertilionis*, Experiments with, 270
Chemotherapy, *see* Treatment, *under* Trypanosomiasis, *each sort*
Cimex pipistrelli, as vector of *T. verpertilionis*, 270
Clearances, *see* Prophylaxis, *under* Trypanosomiasis, Animal, *and* Human
Conorhinus megistus, development in, of *Schiz. cruzi*, 268

Sleeping Sickness—*cont.*
Culicidae, in which Trypanosomes are found, 273
Flea-infection by *T. lewisi*, and other parasites, 269
Fly-trap, of Zupitza, 74
Game and wild animals in relation to, *see also* Antelopes, *and under* Transmission
Glossina
Bionomics, present ignorance of, 72–3
Catching methods
Glue or sticky material, 73, 74, 353, 354
Traps, 74, 353
Cocoa-planted, Land ill-suited to, 73
Hygrophil, and Xerophil, 71
Infectivity of, by Strains of *T. gambiense* recently or remotely passed through Glossina or vertebrate hosts, 69
Species found, in British West Africa, 165–6
G. brevipalpis, as Carrier of Trypanosome disease, Nyasaland, Experiments with, 347 *et sqq.*
in Nyasaland, 346
Hygrophilous, 347
Infectivity-tests, 347–8
Sex ratio, 346
Transmission experiments, 348
Trypanosomes found in, 346–8
G. fusca, B.W. Africa, 165
G. longipalpis, Distribution of, in Ashanti, &c., 165, 501
Intermediate between Hygrophil and Xerophil kinds, 71
G. medicorum, Distribution of, in Ashanti, 501
G. morsitans, absent from Barotse reserve, 505
Bionomics, 75
Birds feeding on, 75
Development in of Trypanosomes, infecting Man and Beast, 63, 64–6, 343–4
T. brucei, 63–4
T. caprae, 350–1
T. pecorum, 348–9
T. rhodesiense, effect on, of Temperature, 503
Distribution of, in
A. E. Sudan, 500
Nyasaland, 268
Rhodesia, 269
Southern, 506
Food of, 268–9
Game destruction in regard to, 71

Sleeping Sickness—*cont.*
Glossina—*cont.*
G. morsitans—*cont.*
Infectivity of, in Nyasaland (1912–13), 345–6
Khaki hue attractive to, 75
Sanya trees and Mpala antelopes, Correlation of, 75
Sex-ratio of, Nyasaland, 75
Strains of Trypanosomes variously obtained from 261' 263
Transmission experiments, 62, 348, 350–1
Vector of Southern Sleeping Sickness, 501
Wild strain, comparative studies on, 339 *et sqq.*
Feeding experiments, 347
Trypanosomes found in, 344–5
Wings of, 75
Xerophil, 71
G. nigrofusca, Distribution of, in Ashanti, 501
G. pallicera, Distribution of, in Ashanti, 501
G. palpalis, Caught by glue system, Principe, 73
Development in, of *T. gambiense*, 64, 66
Effect on, of Temperature, 503
Distribution of
A.E. Sudan, 500
British West Africa, 165, 501, 502
Principe, 73, 352, 353–4
Hygrophil, 71
Infective with *T. gambiense* and *T. rhodesiense*; Importance of Salivary gland Infection, 66, 67–8, *&n.*, 69
Measures against, 72
Vector of Equatorial Sleeping Sickness, 501
G. submorsitans, Distribution of, in Ashanti, 501
G. tachinoides, Distribution in Ashanti, 165, 501
Insect vectors, 71, 257, 270, 273
Mansonia, as vectors, 71
Melophagus ovinus, viability in, of *T. lewisi*, 269
Mosquitoes as Vectors, *see Stegomyia*
Ornithodorus moubata, development in, of *Schiz. cruzi*, 268
Pélaga plant as used by Natives for, 257
References to Literature, xix–xxii, xlix–lii
Salivary glands of Glossina, Infection *via*, 66, 67, 68 *&n.*, 69
Sanya trees and *G. morsitans*, 75

Sleeping Sickness—*cont.*
Schizotrypanum cruzi
Behaviour of, in Warm blooded Animals, &c., 267–8
Transmission experiments with, in Arthropods, 268
Sera of Goats, experiments with, 264
Stegomyia, as vectors, 71
Stomoxys as vectors, 71
Tabanidae as vectors, 71
Transmission, by
Glossina *see* Glossina
Insect Carriers, 71, 257, 270, 273
Climatic conditions and other factors relating to, 68–9
Trypanosomes
Action on of
Atoxyl, 70, 71, 76, 77, 255
Galyl, 257
Ludyl, 257
Salvarsan, 70, 71
Atoxyl-resistant, experiments with, 255
Avian (Brazil), Morphology, 272
Biological differentiation characters of, 266
Causing disease in Man, Nyasaland, researches on, 61 *et sqq.*, 334 *et sqq.*
Crithidial forms in Mosquitoes; location, 273
Dimorphic, 61, 62, 260
of East African Animals, Morphology of various strains, 261–3
Escape of, into Tissues; Lesions from, 254
Five strains, infecting Man, in Nyasaland Researches on, &c., 338 *et sqq.*
of Game and Man, 339–40
Differentiation of, by presence of Posterior Nuclear Forms, 263
Identity of Strains discussed, 504–5
Ingestion by, of Erythrocytes, 505–6
Insect Carriers other than Glossina (*q.v.*), 71–2
of Man, 338–9
Differentiation of, from those of Game by Posterior nuclear forms, 263
Monomorphic, 262
Mzimba strain, two probable components, 504
New, Distribution of, Uganda, 413
Non-pathogenic, 76, 266
Pathogenic, 76, 346
Rat, in Rat-lice, 269
in Salivary liquid of Mosquitoes, 273
Short aflagellar forms in relation to Glossina infection, 69

Sleeping Sickness,—*cont.*
Trypanosomes—*cont.*
T. annamense, causal agent of Surra in Indo-China, 273
T. brucei, 61
Action on, of
Antimony preparations, 258
Antimony trioxide, 259
Metallic Antimony, 259
Arsenophenylglycin, etc., and O_1, 258
Trypoflavin A., 259
Attenuated culture of, 355–6
Differential experiments, 266
Experiments on Dimorphism of, 260–1
in Experiments on White Rats, 76
Group, Ingestion by, of Erythrocytes, 505–6
Identity with *T. rhodesiense*, 263
Remission forms in, 260
Spirochaetes of Relapsing fever in relation to, 261
Two (probable) components, 504
When incapable of Infecting Glossina, 69
T. brucei (Prowazek) as a Relapse strain, 265
T. brucei vel rhodesiense, agent of disease in Man, Nyasaland, 340, 344, 345, 346, 347
and Dog Strain, Nyasaland, 344
Transmission experiments with *G. brevipalpis*, 347, 348
T. brucei, Zululand, Animal susceptibility to, 63
Development in *G. morsitans*, 63, 64
Morphology, 61–3
Pathogenicity, 63
Susceptibility of Animals, 63-4
Transmission experiments, 348
T. caprae, in *G. morsitans*, where found, 350, 351
Nyasaland, 345, 346
Transmission experiments, 348, 350–1
T. castellanii, causal agent of Equatorial Sleeping Sickness, 501
T. congolense, action on, of Arsenophenylglycin, and O_1, 258
Form probably identical with, 262–3
T. dimorphon, action on, of Arsenophenylglycin, and O_1, 258
T. dromedarii, Differentiation experiments, 266
T. duttoni, Pathogenic to Rats, 271
T. equinum, in experiments on White Rats, 76

Sleeping Sickness—*cont.*
Trypanosomes—*cont.*
T. evansi, Action on, of Antimony, and its Compounds, 258, 503–4
Experiments with, 254, 503–4
in Experiments on White Rats, 76
T. dromedarii, a strain of, 266
T. gambiense
Action on, of
Antimony and its compounds 258, 503–4
Arsenophenylglycin, and O, 258
Affinities with *T. rhodesiense*, 263–4
Atoxyl-resistant strain, 258
Causal agent of Northern Sleeping Sickness, 501
Development of, in *G. palpalis*, 64, 66, 67
Differential experiments, 266
Inoculation experiments with, 503–4
Strains recently or remotely passed through Insect or Animal hosts, relative Infectivity of, 69
Transmission of by *G. palpalis*, as affected by Temperature, 503
and Trypanosome of Naturally-Infected Dog Strain, Nyasaland, 344
Two (probable) components, 504
When incapable of Infecting Glossina, 69
T. grayi, in Wild *G. morsitans*, 347, 348
Probable vertebrate host, 347
T. lewisi, 61
Attenuated culture of, 356
Differentiation experiments, 266
in Experiments on White Rats, 76
Non-pathogenic, 76, 266
Passage through Cold-blooded Animals; Changes in course of, 271–2
Pathogenic strain, Morphology and Development of, in relation to Virulence, 271-2
Pathogenicity, Occasional, of, 266, 271
Transmission experiments, 269
T. minus and *T. majus*, use of these terms by Pearson, 504, 505
T. nigeriense, 500
Causal agent of Northern Sleeping Sickness, 501
T. pecaudi, Biology and Morphology of, 264–5

Sleeping Sickness—*cont.*
Trypanosomes—*cont.*
T. pecorum, Nyasaland, 345
Transmission Experiments with *G. morsitans*, 348–9
in Wild *G. morsitans*, 346
T. rhodesiense, 500
Action on, of Arsenophenylglycin, and O_1, 258
Affinities with *T. gambiense*, 263–4
Causal agent of Southern Sleeping Sickness, 501
Development in *G. morsitans* as affected by Temperature, 503
in *G. palpalis*, Experimental infection by, 67, 68
Identity of, with
One in Game, 66–7
T. brucei, 263
of Nyasaland, one Identical with, 62–3
Comparative Pathogenicity, 63
Two (probable) components, 504
T. simiae, Nyasaland, 345, 346, 347
T. uniforme, Biometric curve of, 262
T. vespertilionis, Differentiation experiments, 266
Transmission experiments, 266, 270
Vector of, 270
T. vivax, Biometric curve of, 262
Experiments with, on Rabbits, 66–7
Wild Game Strain, two (probable) components, 504
Yei Strain, Identity and Morphology of, 500, 501
Tsetse flies, *see* Glossina
Tsetse Lime, 74, 353

Trypanosomiasis
Animal
Immunity, Experiments in, 344
Lasting, after Recovery, 72
Incidence
Geographical
Africa, 354
Cape Verde Islands, 354
Natal, 61, 63, 64
Nyasaland, 344–5, 348–50
Principe, 73, 354
Rhodesia, Northern, 505
Southern, 506
Upper Shiré Valley, 344–5
Zululand, 61–3
Seasonal, 505
Indigenous races Resistant to, 72
Insect vectors of, 505
Non-immunity to, of Equidae, after Recovery, 72

Sleeping Sickness—*cont.*
Trypanosomiasis—*cont.*
Animal—*cont.*
Prophylactic action of Guinea-pig Serum, 265
Prophylaxis, 71, 265
Tabanidae as Vectors, 505
Transmission by
Game and Wild Animals, 71
Insect Carriers (*see also* Glossina), 71–2
Mechanical means, 505
Treatment by
Antimony and derivatives, 258–9
Arsenophenylglycin, 263, 264
O_1, 258, 264
Trypanosome of, 61

Dourine, Prophylaxis, 72

Nagana, Chronic Strains, Broad forms, Oehler's view on, 261
in Rats, action on, of Antimony trioxide, 259
Metallic Antimony, 259
Zululand Strain incapable of Infecting Glossina, 69

Surra, Causal agent in Indo-China, 273

Experimental
Action in of
Antimony and its compounds 503–4
Arsenical and Antimonial products combined with Silver Salts, 503–4
Atoxyl, 261, 264, 268
Neosalvarsan, 265
Normal Human Serum, 263, 264
Novotryposafrol, 260
Parafuchsin, 261, 267, 268
Potassium Iodide, 268
Quinine, 268
Salvarsan, 261, 268
Sublimate, 268
Tartar Emetic, 261
Trixidin, 258
Trypanred, 268
Trypasafrol, 268
Tryposafrol, 260
Atoxyl-resistant Trypanosomes in, 255
Attempts to produce with *T. vespertilionis*, 270
Body temperature of White Rats as affected by, 75–6
in Domestic Animals, Nyasaland, 350
Histology, 267
Relapses in, 265

Sleeping Sickness—*cont.*

HUMAN
Bed-bugs as Vectors, 268
Big Game as Hosts of Glossina, in relation to, S. Rhodesia, 506
Destruction in relation to, 71
Diagnostic signs, 69, 72
Immunity, 66
Incidence
Age, 503
Geographical
Africa, 72
A.-E. Sudan, 500
Ashanti, 501–3
Congo, Belgian, 500
French, 255, 354–5
East Africa Protectorate (diminution in), 176
German E Africa, 69, 70
Kamerun, 256
Mossi (W. Africa), 256–7
Nigeria, Northern, 175
Nyasaland, 63, 64, 65, 66, 71, 75, 268, 338–46, 351, 417
Principe Island, 73, 352, 353
Rhodesia, 71, 263
Northern, 351–2
Sierra Leone, 484
Uganda, 455, 500
Racial, 69
Seasonal, 257
Sex, 503
Native habit of denying existence of disease, 354
Peculiar form, with Intermittent fever, 255
Prophylaxis, 71, 72, 73, 74, 256, 351, 352–3, 355, 417–8
Psychoses of, 256
Recovery without Treatment Case of, 355
Symptoms, 69, 70, 235, 237, 255, 256, 351, 352
Syphilis and, 253
Ticks as (possible) Vectors, 268
Transmission of, by
Coitus, 253
Game and Wild Animals, 66, 71
Human Carriers, 72
Experiments in, 268
Treatment by
Arsenophenylglycin, 250
Atoxyl, 73, 255
Diaminoarsenobenzol derivative, O_1, 258
Galyl, 257
Ludyl, 257
Native methods, 257
Neosalvarsan, 535
Potassium Emetic, 255
Salvarsan, 69, 70, 71

Sleeping Sickness—*cont.*
HUMAN—*cont.*
Treatment by—*cont.*
Silver Arsenical preparation of Danysz, 255
Trypoflavin A, 259–60

Small-pox, 214–5, 436–43
Experimental, 436–7
Incidence
Burma, 442–3
India, 441–2, 443
Indo-China, 536
Nigeria, Northern, 173
Nyasaland, 215, 442
Ouadai, 536
Philippine Islands, 436
Sierra Leone, 214
Uganda, 413
Zanzibar, 416
Lymphs
Preserved, Duration of Vitality of, 438–40
Protection of, from Heat in Transit, 440–1
Used in Vaccination, 214–5
Prophylaxis, 171–3, 214, 416, 436–43
Vaccines and Vaccination
Infantile Vaccination, 441–2
Lymphs used (*see also* Lymphs, *above*), 214–5
Strains of Vaccines, 437–8
Vaccine Success-rate after Small-pox, 442–3
Variola and Vacciniæ, relationship of, 436–7

SPRUE, 8–12
Arthritis in, 11
Bacteria discovered in, 11
Blastomycotic character, discussed, 9
Clinical Pathology, 8
Diet, and Scorbutic petechiae in, 12
Entamoeba histolytica in, 12
Etiology, 9
Fungus in (*see also* Monilia *infra*), 533–4
Incidence
Geographical
Ceylon, 8, 10
China (Hong Kong), 10
Germany, 8
Holland, 8
India, 11
Philippine Islands, 408
Racial, 8, 10
Sex, 8
Monilia found in, 533, 534
M. albicans and, 9, 10, 533–4
Post-mortem findings, 8–9, 10–11
References to Literature, xxii, lii
Streptothrices found in, 408

Sprue—*cont.*
Symptoms, 8, 9, 11, 12
Transmission, 8
Treatment, 534; by Emetine, 12

Syphilis
Identity with Yaws discussed, 442–3
Incidence
Java, 412
New Guinea, 408
Philippine Islands, 408
Tonkin, 536
Uganda, 413
West Indies, 423
Prophylaxis, 413
Treatment by Salvarsan, 423, 535

TROPICAL SKIN DISEASES *see* **SKIN DISEASES, TROPICAL**

TROPICS, APPLIED HYGIENE IN. *see* **HYGIENE, APPLIED**

TRYPANOSOMIASIS, *see* **SLEEPING SICKNESS**

TUBERCULOSIS IN NATIVE RACES, 117–23
Alleged Increase in, in India, 117–8
Bacillus of,
Madagascar form, 120–1
Rare in Africa, 123
Causes of prevalence, South East China, 121
Conference on, in Trinidad (1913), 422
Death-rate, British Guiana, 423
Incidence
Class, 118, 121, 418
Geographical
Africa, 123
Alaska, 121–2
British Guiana, 423
Ceylon, 419
China, South East, 121
Hong Kong, 121
Gambia, 455
India, 120
Madras, 117, 118, 122
Indo-China, 536
Java, 118–9, 412
Madagascar, 120–1
Nyasaland, 418
Persia, 122
Soudan, French, 120
Sumatra, 119
Zanzibar, 416
Racial, 118, 119, 120, 121, 122, 123
Urban and Rural, 119–20

Tuberculosis—*cont.*
Native Susceptibility to the disease, reasons for, 123
Notifiable, in Gambia, 455
Priority in application of von Pirquet's Cutaneous Reaction, dispute on, 122–3
Prophylaxis, 117, 118, 120, 423
Purdah difficulties, 118
References to Literature, xxii, lii
Sanatoria, Indan, special requirements in, 118
Gift of one, 420
Transmission of, by
Cotton clothing, 121
Entozoal parasites, 121
Infected Europeans, 123
Social customs, etc., 121
Treatment
Open-air, 122
Sanatoria, 117, 118, 120, 122
Tuberculin, 118, 120, 121, 122
Koch's (P.T.U.), 122
Tuberculin Cuti-reaction, results of, at Bamako, 120
Von Pirquet's Cutaneous Tuberculin Reaction as Diagnostic means, 120, 122–3

Typhoid (Enteric) and Paratyphoid Fever in the Tropics
and Allied Diseases mistaken for Malaria, 482
Incidence
Geographical
Bahamas, 421
Cyprus, 419
India (Bengal), 448
Indo-China, 536
Java, 412
Nyasaland, 418
Palestine, 410
Samoa, 163
West Indies, 422
Racial, 418
References to Literature, lii–iii
Vaccine, Mixed, Researches on, 409
Water-supplies in relation to, 419, 422

TYPHUS FEVER, 488–91
Ætiology of, 488, 489
Bacilli found in
in Blood, Urine and Cerebro-Spinal fluid, 489
in Brill's Disease and, 488
Paratyphoid Bacillus, as Saprophyte in, 491
in Infected Lice, resembling those of, 490

Typhus Fever—*cont.*
"Brill's Disease," identical with, 488
Identical Micro-organism in both diseases, 488
Complement-fixation and Reaction in, 488, 490
Epidemic of, at Van, 489
Experimental, in Animals, 488
Incidence
Class, 489
Geographical
Palestine, 410
Van, 489
Lice as Vectors, 489
Cocco-bacilli found in Infected, 490
Protozoal organism associated with, 490
References to Literature, xxii–iii, liii
Serological Investigations into, 490
Serum of Convalescents, Bactericidal action of, 488
Transmission by Lice, 489
Treatment of, 534, by
Calcium sulphide, 489
Neosalvarsan, 489
Normal saline solution, 488
Wassermann Complement-deviation Test in, 490

UNDULANT FEVER, 1–7
Diagnostic Methods
Agglutination methods, 7
Summary of recent work on, 6
Serum diagnosis, 3
Various, in order of value, 5
Experimental, in Animals, 4–5
Incidence
Geographical
Algeria, 5
Brazil, 4
Corsica, 482
France, 5
India, (British Troops), 1–3
Italy (Rome province), 3, 6
Sicily, 3
Micro-organisms of
M. melitensis, 3, 4, 6, 7
Agglutination of
Affected by presence of Bacteria, 6
Caused by London Cows' Milk, 7
M. paramelitensis, 5
Milk, in relation to
Cows', 1, 7
Goats', 1, 4, 5
Sterilization of, 1
Tests for
Lacto-reaction of Zammit and Horrocks, 5
Serum, etc., agglutination
Ortol's, 1 *&n.*
Rennet, 3

Undulant Fever—*cont.*
Phlebitis during, 3–4
Prophylaxis, 5
References to Literature, xxiii, liii–iv
Symptoms, 3, 4, 5
Three types, India, 1
Transmission by
Animals (cf. Milk), 1 *et passim*
Human carriers, 1
Insects (alleged), 3
Treatment, 534, by
Mercury perchloride, 5
Vaccine, 3, 5

Uta, *see under* **KALA AZAR.**

Venereal Diseases (*see also* **Syphilis**), in Uganda, 413

VOMITING SICKNESS of Jamaica, 152, 153, 178–9
Comment on papers in Vols. 3 & 4, by Dr. Seidelin, 360
Diplococcus jamaicensis, first described by Seidelin, 360
Reference to Literature, xxiv
Yellow Fever in relation to, 152, 153, 178–9

Verruga Peruviana and Oroya Fever, 50–1, 486–7
Blood changes, 50
Bodies found in Blood, 50
Carrion's fever and, 51
Dual character of its two Stages, 486
Unity of, 487
Differential diagnosis, 50
Eruption, 50
Experimental Inoculation of Animals with, 486
Immunisation experiments, 486
in Lima, 50
Insect Vectors, 50, 487
Phlebotomus fly, 50
P. verrucarum, 487
Transmission by
Human beings, 50
Phlebotomus, 50, 487
Treatment by Neosalvarsan, 487

YAWS, 435–6, 492–9
Animals and Birds, susceptible to, 492
Bouba identified with, 495
Conditions associated with, 496
Etiology, 435

Yaws—*cont.*
Framboesia as name for, 492
Gangosa considered as a form of, 408
High Mortality from, 494, 497
Identity with Syphilis discussed, 492–3
Incidence
Age, 494
Geographical
Ancon, 495–6
Annam, 492
Brazil, 495, 498
Burma, 435–6
Ceylon, 492
Congo, Belgian, 497
East Indies, 492
Fiji, 497
German East Africa, 494, 496
India, 117
Indo-China, 492, 494, 498, 536
Loyalty Islands, 494
Montserrat, 496
New Guinea, 408
Samoa, 163
Sudan, 499
Tonkin, 492
Trinidad and Tobago, 422
West Indies, 422, 423
Manual Deformity due to, 494
Nomenclature, 492, 494, 495
Prophylaxis, 435–6
References to Literature, liv
Spirochaetes found in, 499
Treponema found in, 493
T. pertenuis or *pertenue*, 496, 498
Symptoms, 493, 494, 496, 497, 499
Transmission
Experimental, 436
Various modes, 435–6
Treatment by
Antimony, metallic, 499
Atoxyl and Tartar Emetic, 497
Blister serum, 497
Emetine, 498
Galyl, 498
Iodine, 494
Ludyl, 498
Mercuric salicylate, 494
Neosalvarsan, 495, 496, 497, 498
Salvarsan, or "606," 410, 422, 423, 494, 496, 497, 498, 535
Tartar Emetic and Atoxyl, 497
Vaccination, 494
Wassermann Reaction in, 498

YELLOW FEVER, 151–8, 201–2, 360, 427–8
Blood-conditions in, compared with those in Malaria, &c., 151
Bodies found in Blood of Guinea-pigs and Dogs, in relation to, 154, 155–6

Yellow Fever—*cont.*
Coal-tar and Turpentine with Soft Soap, as Larvicide, 157
Comments on Abstracts in, Vols. 3 & 4, by Seidelin, 360
Corneal Symptom of bad augury, 156
Cyllin as Larvicide, 157
Dogs as possible Carriers, 156
Endemicity, 152, 153
Evasion of, by Sleeping on Higher Ground, 164
Experimental, Symptoms, 156
Fruit-Ports in relation to, 179
Fumigatories for destroying *omyia fasciata*, 157–8
Gorgas's Larvicide, 157
Incidence
Geographical
America, U.S., epidemic of 1878, 453
Central and South, 164
Barbados, 154
Brazil, 152
Chili, 152
Columbia, 152
Cuba, 154
Dahomey, 153
Ecuador, 152
Gambia, 153
Gold Coast, 153
Guatemala City, 179
Honduras, 152
Jamaica (possible), 152, 153, 154, 178–9
Martinique, 151
Mexico, 152
Nigeria, Southern, 155
Panama Canal Zone, 152
Peru, 152
Portuguese Guinea, 153
St. Lucia, 154
Senegal, 152
Sierra Leone, 153
Throughout the World, 152, 153, 428
Togoland, 153
Trinidad, 154
Venezuela, 154
West Africa, 151, 428
West Indies, 151, 152, 153, 178–9
Yucatan, 151–2
Racial, 152, 155
Inoculation experiments on Animals, 155–6
Larvicides for *S. fasciata*, 157
Leucocytic changes, 151
Monkeys as Reservoirs for Virus, 154–5
Mosquitoes as vectors, *see Stegomyia*,
Occurrence throughout the World, 152–3, 428
Panama Canal and its Opening, in relation to, 152, 176–7 *&n.*

Yellow Fever—*cont.*
Parasites of, *see also Paraplasma*
Seidelin's, Agramonte's claim concerning, 357, 360
Identity with those of Schilling, 357, 358
Paraplasma flavigenum in, 152, 153
Bodies resembling, in Blood of Guinea-pigs and Dogs, 154, 155–6
Nature, discussed, 153
Prophylaxis, 176–7 *&n.*, 179
Stegomyia fasciata destruction (of larvae and insect), Burmese methods, 157–8
Traps for, 201–2
Pyrethrum-burning for *S. fasciata* destruction, 157
References to Literature, xxiii–iv, liv–v
Seidelin's bodies, *see Paraplasma*
Stegomyia fasciata and, *see also under* Transmission
Bionomics and Breeding-places, Recognition and destruction, 157–8
Traps for, 201–2

Yellow Fever—*cont.*
Sulphur dioxide gas for *S. fasciata* destruction, 157–8
Symptoms, 151–2, 156
Transmission by
Dogs (possible), 156
Fruit Ports, 179
Guatemalan railroad, 179
Stegomyia fasciata, 157–8, 178, 179, 428 *&n.*
Treatment of, 534, by
Adrenalin, 156
Alkalies, 156
Bathing, 156
Enemata of Cold Water, 156
Isotonic Salt solution Injections, 156
Lumbar Puncture, 156
Renal-vein Serum of Teissier, 156
Soda benzoate, 156
Sulphuric ether, 156
Venesection, 156
U.S.A. report on, 178–9
Vomiting Sickness of Jamaica and, 152, 153, 178–9
Water, Stale, as Breeding Places of *Stegomyia fasciata*, 157